ALL INDIA INSTITUTE OF MEDICAL SCIENCES, BHUBANESWAR

Form - IV (See rule 13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorised person (occupier or operator of facility)	:	The Director, AIIMS, Bhubaneswar
	(ii) Name of HCF or CBMWTF	:	AIIMS, Bhubaneswar
	(iii) Address for Correspondence	:	Sijua,Dumduma
	(iv) Address of Facility		-Do-
	(v)Tel. No, Fax. No	:	
	(vi) E-mail ID	:	
	(vii) URL of Website		
	(viii) GPS coordinates of HCF or CBMWTF		*
	(ix) Ownership of HCF or CBMWTF	:	Autonomous institute under PMSSY, Govt of India
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	Authorization No.:8697
	(xi). Status of Consents under Water Act and Air Act	:	Valid up to: 31-03-2022
2.	Type of Health Care Facility	:	Tertiary Care Centre
	(i) Bedded Hospital	:	No. of Beds:750+
	(ii) Non-bedded hospital	:	
	(Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)		
	(iii) License number and its date of expiry		
3.	Details of CBMWTF	:	NA
	(i) Number healthcare facilities covered by CBMWTF	:	
	(ii) No of beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	5)(0)

27 JUN 2019

S.P.C. B. ARD

BHIBANESWAR

(iv) Quantity of biomedical waste treated	d or disp	posed	:	K	g/day		
by CBMWTF			:	Yellow (ategory	:1:	1342 kg
Quantity of waste generated in Kg per annum (on monthly average basis)			•	Red Cat			7036 kg
				White/P			926 nos
				Blue Ca			5084
*				General	-	aste:	1942 trips
Details of the Storage, treatment, transpo	ortation	nroces	sing ar				
	:	Size:41	nos roc	ms each	room is 8	3×20×1	0 cubic ft
(1)		Capacity:					
facility							1 storage or
			ovision of on-site storage y other provision		rage	: (cold storage of	
		-			No	Cap Quantity	
(ii) Details of the treatment or	:	Type of treatment		atment	No	Cap acit	treatedo
disposal facilities		equi	pment		of unit		r
						y Kg/	disposed
					S	day	in kg
						auj	per
						4	annum
8	9.1	Inci	nerator	'S			
			ma Py				
		Autoclaves					
		Mic	roway	e 02units	120kg	3	3100kg
		Hydroclave					
		Shr	edder				
		Needle tip cutter or				~	
		destroyer					
		Sharps					
			apsulat			-	
			crete p				
		1	ep buria	il pits:			
			emical nfectio	n:		-	
		-		treatment			
			ipment				
(iii) Quantity of recyclable wastes	:	-		y (like plas	stic, glas	s etc.)	
sold to authorized recyclers after		1000		, (P.a.	, 6		
treatment in kg per annum.					×.		
(iv) No of vehicles used for collection		(i) 02 n	os batt	ery operat	ed waste	carryi	ng vehicle.
and transportation of biomedical		(i) 02 nos battery operated waste carrying vehicle.(ii) 05 nos manually hand pulling trolley.					
waste							
(v) Details of incineration ash and				Qua	ntity	W	here
ETP sludge generated and disposed				gene	erated	dis	sposed

	during the treatment of wastes in Kg per annum		Incineration Ash ETP Sludge
	(vi) Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposed of	:,	Sani Clean Pvt. Ltd.
	(vii) List of member HCF not handed over bio-medical waste.		
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		Yes Attached
7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management.		15
	(ii) number of personnel trained		520
	(iii) number of personnel trained at the time of induction		
	(iv) number of personnel not undergone any training so far		*
	(v) whether standard manual for training is available?		Yes
	(vi) any other information)		We use ppt ,videos ,kit, leaflet etc.
8	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		Zero
	(ii) Number of the persons affected		zero
	(iii) Remedial Action taken (Please attach details if any)		
	(iv) Any Fatality occurred, details.		Zero
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		-NA-
	Details of Continuous online emission monitoring systems installed		. 81
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		ETP is fully functional.
11	Is the disinfection method or sterilization meeting the log 4		Yes

	standards? How many times you have not met the standards in a year?		
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period if offi	01-01-2016 10 51-12-2016
	- Juajuli
	Name and Signature of the Head of the Institution



DIRECTOR AIIMS, BHUBANESWAR Pin-751019