

All India Institute of Medical Sciences, Bhubaneswar अखिल भारतीय आयुर्विज्ञान संस्थान, भुवनेश्वर

F.No. 02/MS/476/BMW/2023/24

Date - 19.03.2025

To

Deputy Assistant Director General

Directorate General of Health Services

Ministry of Health & family Welfare

Environment & Climate change Cell

Nirman Bhawan, New Delhi -110001

Sub – Submission of monthly report for Bio Medical Waste Management

Dear Sir /madam,

This is in reference to your letter no p-18012/12/2016 Environment dated 11/04/2017 regarding above mentioned subject.

Please find enclosed the report of Bio Medical Waste Management for the month of February, 2025 duly signed by the Medical Superintendent on behalf of the Director, AIIMS, Bhubaneswar.

Thanks & regards

21/03/25

Nodal Officer

Bio Medical Waste Management

AIIMS, Bhubaneswar

डॉ. मानस रंजन साहु / Dr Manas Ranjan Sahu अतिरिक्त प्रोफेसर / Additional Professor फोरेंसिक च्लिकित्सा एंव विष विज्ञान विभाग Dept. of Forensic Medicine & Toxicology एम्स, भुवनेश्वर, AIIMS, Bhubaneswar

Form – IV (See rule 13) MONTHLY REPORT

SI. No.	i di ticulai 5						
1	Particulars of the Occupier	:					
	(i) Name of the authorized person (occupier or : operator of facility)	:	The Director ,AIIMS, Bhubaneswar				
	(ii) Name of HCF or CBMWTF	₩.	AHMC DLL				
	(iii) Address for Correspondence	:	AIIMS, Bhubaneswar				
	(iv) Address of Facility	 :	Sijua,Dumduma -Do-				
	(v)Tel. No, Fax. No	₩÷					
	(vi) E-mail ID	:	0674-2476789				
	(vii) URL of Website	!	info@aiimsbhubaneswar.edu.in				
	(viii) GPS coordinates of HCF or CBMWTF		www.aiimsbhubaneswar.nic.in				
	, and a section action of CBMWTF	:					
· ·	(ix) Ownership of HCF or CBMWTF	:	Autonomous Organization				
	(x). Status of Authorization under the Bio- Medical	:	Authorization No.: 8269				
	Waste (Management and Handling) Rules		Valid up to: 31-03-2025				
	(xi). Status of Consents under Water Act and Air	:	Valid up to: 31-03-2025				
	Act		: .				
2	Type of Health Care Facility						
	(i) Bedded Hospital	Je z	No. of Beds: 960				
	(ii) Non-bedded hospital						
	Clinical Laboratory or Research Institute or Veterinary Hospital or any other)		-NA-				
1	(iii) License number and its date of expiry	E - 14	6. 18. 18. 18. 19. 19. 19. 19. 19. 19. 19. 19. 19. 19				
3	Details of CBMWTF	1,6	V4.				
	(i) Number of health care facilities covered by CBMWTF		-NA-				
	(ii) No. of Beds covered by CBMWTF		-NA-				
	(iii) Installed treatment and disposal capacity of CBMWTF;		-NA-				
	(iv) Quantity of bio medical waste treated or disposed by CBMWTF		-NA-				
4	Quantity of waste generated or disposed in	:	Yellow Category: 16432.5/month				
	Kg per Annum (on monthly average basis)		Red Category: 17050.98kg/month				
	Mean Masta Treatmen Jackson		White: 263.805Kg/month				
1.4	the end of the said which in the		Blue Category:1522.17kg/month				
· ·			Cyto-Toxic Category: 243.18kg/month				
	i salar ga pace di mini da sanga		General Solid Waste: 96800 kg/month				
5	Details of the Storage. Treatment Tra	nsport	tation, Processing and Disposal Facility				
	(i) Details of the on-site storage	:	Size:5 no's room for BMW and 5000sqft for solid waste.				

1	facility			Сар	acity:		
			Provision of on-site storage: (Cold storage of any other provision)				
	(ii) Disposal facilities				provision,	Quantity Treated or	
	To be a first of the second of		Type of treatment equipment	No of Units	Capacity Kg/day	disposed in kg per	
			Incinerators	<u>ا</u>		annum	
			Plasma Pyrolysis		,	i	
			Autoclaves Microwave Hydroclave				
			Shredder Needle tip		Hand	le by	
			cutter or destroyer		CBMWTF Operator(Sani clean Pvt.Ltd)		
			Sharps Encapsulation		PVt.1	λα) . ;	
			or concrete pit		,	1	
			Deep burial pits			r.	
			Chemical disinfection: Any other			1 · · · · · · · · · · · · · · · · · · ·	
			treatment equipment:	7		: :	
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum		Red Categ	ory (like p	olastic, glas	s, etc.)	
	(iv) No. of Vehicles used for collection and transportation of		(i)06 no's battery operated waste carrying vehicles.				
1	biomedical waste		(ii)25 no's ma	nually ha	and pulling	g trolley.	
	(v) Details of incineration ash and ETP sludge generated and		. Billion Sign	Quanti General	,	nere oosed	
	disposed during the treatment of wastes in Kg per annum	302	Incineration Ash			i !	
181			ETP Sludge	31 kg		horticulture	
	(vi) Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposed of		Sani clean Pvt. Ltd Tangiapada, Khurda- Odisha 752057				
	(vii) List of member HCF not handed over bio-medical waste.						
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period			yes			

	1		
Details trainings conducted on BM	W		
(i) Number of trainings condu	icted		5
on BMW Managemen	t		5
(ii) Number of personnel tra	ined		82
(iii) Number of personnel train	ed at		25
the time of induction	Lu at		25
undergone any training so far		· - ,	
(v) Whether standard manual	1		Yes ,we use ppt, videos, kit, leaflet
fortraining is available?			,painting etc.
Details of the accident occurred durin	g the		, pameing etc.
year	 		
(i) Number of Accidents occu	rred		NIL
(ii) Number of persons affect	ted		NIL
(iii) Remedial Action taken			NA

			,
	ails		NIL
Are you meeting the standards of			NA
air Pollution from the incinerator?	3 d =		IVA ,
How many times in last year could	,		
not met	Ţ,		-
the standards?			
		9.	NA
emissionmonitoring systems			
installed			
Liquid waste generated and treatme	nt		ETP is fully functional
methods in place. How many times	you		,
have not met the standards in a yea	r?		
Is the disinfection method or	1,77	\$	NA
sterilization meeting the log 4			
standards? How many times you have			
not		-1.2:	
met the standards in a year?	, 1		
Any other relevant information		t	(Air Pollution Control Devices attached
			with
	19.5	Z.,	the Incinerator)
	(ii) Number of personnel trainings condered (iii) Number of personnel training the time of induction (iv) Number of personnel nundergone any training so (v) Whether standard manual fortraining is available? Details of the accident occurred durin year (i) Number of Accidents occuring (ii) Number of persons affect (iii) Remedial Action taken (Pleaseattach details if any) (iv) Any Fatality occurred, details any occurred, details in any) (iv) Any Fatality occurred, details in any) Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards? Details of Continuous online emissionmonitoring systems installed Liquid waste generated and treatment methods in place. How many times have not met the standards in a year Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	on BMW Management (iii) Number of personnel trained at the time of induction (iv) Number of personnel not undergone any training so far (v) Whether standard manual fortraining is available? Details of the accident occurred during the year (i) Number of Accidents occurred (ii) Number of persons affected (iii) Remedial Action taken (Pleaseattach details if any) (iv) Any Fatality occurred, details Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards? Details of Continuous online emissionmonitoring systems installed Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year? Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	(ii) Number of personnel trained (iii) Number of personnel trained (iii) Number of personnel trained at the time of induction (iv) Number of personnel not undergone any training so far (v) Whether standard manual fortraining is available? Details of the accident occurred during the year (i) Number of Accidents occurred (ii) Number of persons affected (iii) Remedial Action taken (Pleaseattach details if any) (iv) Any Fatality occurred, details Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards? Details of Continuous online emissionmonitoring systems installed Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year? Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?

Certified that the above report is for the perio	od from 01/02/2025 to 28/02/2025	
		••••

Date: Place:

Name and Signature of the Head
of the Institution /Medical
Superintendent
अस्पताल अधानमा / Medical Superintendent
पम्स भुवनेश्वर/AIIMS Bhubaneswar