

# अखिल भारतीय आयुर्विज्ञान संस्थान , All India Institute of Medical Sciences Engineering Branch, Bhubaneswar (Odisha)-751019 www.aiimsbhubaneswar.nic.in

## TENDER DOCUMENT

Name of Work: Construction of additional washrooms for patients' attendants near Vishram Gruha of AIIMS, Bhubaneswar.

e-NIT No. : <u>AIIMS/BBSR/Engg./016/2025-26</u>

e-NIT Issue Date : 02/12/2025

Last Date of Submission : 17/12/2025 (By 1230 Hours)

E.C. put to tender : Rs. 17,02,659/-

"Certified that this tender document contains 34 (Thirty-Four) pages only".

Executive Engineer (Civil) AIIMS, Bhubaneswar

# All India Institute of Medical Sciences Ministry of Health & Family Welfare, Government of India, Bhubaneswar

Name of Work : Construction of additional washrooms for patients' attendants near Vishram Gruha of AIIMS, Bhubaneswar.

# **INDEX**

1	Cover Page	-	01
2.	Index	-	02
3.	Notice Inviting e-Tender	-	03
4.	Information & Instruction for Bidders for e-Tendering	-	04 & 05
5.	CPWD-6 for E-Tendering	-	06 to 09
6.	CPWD-7 for Percentage Rate Tender & Contract of Works	-	10
7.	Acceptance Page	-	11
8.	Special Conditions of Contract	-	12 to 16
9.	Performa of Schedules - A to F	-	17 to 19
10.	Schedule of Quantities	-	20 to 23
11.	PERFORMA FOR QUOTING RATES	-	24
12.	Declaration to be given by the Bidder (Annexure `A')	-	25
13.	Form for Detailed Information by Bidder (Annexure 'B')	-	26
14.	Affidavit (Annexure C)	-	27
15.	Affidavit (Annexure D)	-	28
16.	Form of Performance Security (Annexure E)	-	29
17.	Integrity Pact (Specimen) (Annexure F)	-	30 to 33

#### ALL INDIA INSTITUTE OF MEDICAL SCIENCE, BHUBANESWAR

#### **NOTICE INVITING e-TENDER**

The Executive Engineer (Civil), AIIMS, Bhubaneswar on behalf of the Executive Director, AIIMS, Bhubaneswar invites online Percentage Rate Tender in Two (02) Bid system (Technical & Financial bid) from approved and eligible contractors registered in appropriate class of Public Works Organizations like CPWD, DoP. BSNL, MES, Railways etc. & Odisha State PWD and ancillary departments or PSUs for the following work(s): -

(a)	Tender (e-NIT) No.	AIIMS/BBSR/Engg./016/2025-26
(b)	Name of Work	Construction of additional washrooms for patients' attendants near Vishram Gruha of AIIMS, Bhubaneswar.
(c)	Estimated Cost put to tender	Rs. 17,02,659/- (Rupees Seventeen Lakhs Two Thousand Six Hundred Fifty Nine only)
(d)	Earnest Money Deposit (EMD)	Rs. 34053.00 (Rupees Thirty-Four Thousand Fifty Three only)
(e)	Period of Completion	03 (Three) Months
(f)	Last Date and Time of Submission of bid	By 17/12/2025 at 1230 Hours.
(g)	Date, Time for opening of Technical Bid	On 18/12/2025 at 1600 Hours.
(h)	Date, Time for submission of original EMD, Annexure C and D in the office of EE(Civil), AIIMS, Bhubaneswar	On or before 17/12/2025 at 1600 Hours.
(i)	Time and date of opening of Online Financial Bids	To be intimated later through website

- 1. The intending bidders should have satisfactorily completed similar works of magnitude specified in this NIT.
- 2. The indenting Bidder must read the Terms & conditions of tender documents of AIIMS, Bhubaneswar carefully. He/She should only submit the bid if he/she considers himself/herself eligible and he/she is in possession of all the documents required.
- 3. The contractor whose bid is accepted will be required to furnish performance guarantee at 5% (five) of the tendered amount within the period stipulated in schedule-F.
- 4. The Bid documents consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the **set of terms & conditions of the contract** to be complied with and other necessary documents can be seen and downloaded from website <a href="www.aiimsbhubaneswar.nic.in">www.aiimsbhubaneswar.nic.in</a> Or <a href="https://eprocure.gov.in/eprocure/app.">https://eprocure.gov.in/eprocure/app.</a> For queries related to the tender the office of EE(C) may be contacted over email <a href="mailto:eeci@aiimsbhubaneswar.edu.in">eeci@aiimsbhubaneswar.edu.in</a>.
- 5. The bid for the work shall remain open for acceptance for a period of 75 days from the date of opening of technical bid.
- 6. The competent authority on behalf of ED, AIIMS, Bhubaneswar does not bind itself to accept the lowest or any other bid and reserves the right to reject any or all the bids received without the assignment of any reason. All bids in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the bidders shall be summarily rejected.

Executive Engineer (Civil) AIIMS, Bhubaneswar

# INFORMATION AND INSTRUCTIONS FOR BIDDERS FOR e-TENDERING FORMING PART OF BID DOCUMENT

The Executive Engineer (Civil), AIIMS, Bhubaneswar on behalf of the Executive Director, AIIMS, Bhubaneswar invites online Percentage Rate Tender in Two (02) Bid system (Technical & Financial bid) from approved and eligible contractors registered in appropriate class of Public Works Organizations like CPWD, DoP. BSNL, MES, Railways etc. & Odisha State PWD and ancillary departments or PSUs for the following work(s): -

(a)	Tender (e-NIT) No.	AIIMS/BBSR/Engg./016/2025-26
(b)	Name of Work	Construction of additional washrooms for patients' attendants near Vishram Gruha of AIIMS, Bhubaneswar.
(c)	Estimated Cost put to tender	Rs. 17,02,659/- (Rupees Seventeen Lakhs Two Thousand Six Hundred Fifty Nine only)
(d)	Earnest Money Deposit (EMD)	Rs. 34053.00 (Rupees Thirty-Four Thousand Fifty Three only)
(e)	Period of Completion	03 (Three) Months
(f)	Last Date and Time of Submission of bid	By 17/12/2025 at 1230 Hours.
(g)	Date, Time for opening of Technical Bid	On 18/12/2025 at 1600 Hours.
(h)	Date, Time for submission of original EMD, Annexure C and D in the office of EE(Civil), AIIMS, Bhubaneswar	On or before 17/12/2025 at 1600 Hours.
(i)	Time and date of opening of Online Financial Bids	To be intimated later through website

- 1. The intending bidders should have satisfactorily completed similar works of magnitude specified in this NIT.
- 2. The intending bidder must read the terms and conditions of Tender document carefully. He should submit his bid if he considers himself eligible and he is in possession of all the certificates / documents required.
- 3. Information and Instructions for bidders for e-tendering posted on website shall form part of bid document.
- 4. The bid document consisting of Plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from <a href="https://eprocure.gov.in/eprocure/app">https://eprocure.gov.in/eprocure/app</a> or www.aiimsbhubaneswar.nic.in free of cost.
- 5. For E-tendering Queries contact CPPP Help Desk.
- 6. The intending bidders must have valid class-III digital signature to submit the bid.
- 7. The bid can be submitted through CPP portal by uploading the mandatory scanned documents as specified in the form of JPG/PDF format or any other format as permissible by the e-tendering portal within the period of bid submission.
- 8. Contractor must ensure to quote the percentage rate in Performa of quoting rates. In addition to this, while selecting any of the cells a warning appears that if any cell is left blank the same shall be treated as "0". Therefore, if any cell is left blank and no rate is quoted by the bidder, rate of such item shall be treated as "0" (Zero).
  - However, if a tenderer does not quote any percentage above/below on the total amount of the tender or any section/sub head in percentage rate tender or each item in item rate tender, the tender shall be treated as invalid and will not be considered as lowest tenderer.
- 9. GST on all materials as well as GST on Work Contract etc., or any other taxes applicable in respect of this contract shall be payable by the Contractor. Percentage rate quoted by him shall be inclusive of such taxes, levies etc and Government/AIIMS will not entertain any claim for reimbursement whatsoever in respect of the same. Further the percentage rate quoted by the contractor shall be inclusive of labor welfare cess, water charges (if applicable), electricity charges (if applicable) and the same shall be recovered from the contractors' bills where applicable.
- 10. After submission of bid online, the contractor can re-submit revised bid any number of times but before last time and date of submission of bid as notified. While submitting the revised bid, contractor can revise the rate

- of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of bid as notified.
- 11. The Technical Bid shall be opened first on due date & time as mentioned above.
- 12. Financial bids shall be considered only for bidders for whom EMD and other documents are found in order and who are found to be eligible to bid for work. On opening date, the contractor can login and see the bid opening process in CPP portal. After opening of bids he will receive the competitor bid sheets.
- 13. If any information furnished by the applicant is found incorrect at a later stage, he shall be liable to be debarred from tendering/ taking up works in AIIMS. If discrepancy is noticed between the eligibility documents as uploaded at the time of submission of bid and hard copies as submitted physically by the bidder, the bid shall become invalid.
- 14. AIIMS reserves the right to reject any prospective application without assigning any reason and to restrict the list of qualified contractors to any number deemed suitable by it, if too many bids are received satisfying the laid down criterion.

#### 14. FRAUD AND CORRUPTION:

- 14.1 The Engineer-in-Charge will reject a proposal for award if he determines that the bidder recommended for award has been engaged in corrupt or fraudulent practices in competing for the contract in question. He will report to the Officer Inviting Bid / next higher authority.
- 14.2 Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited & the tenders submitted by the contractors who resort to canvassing will be liable for rejection.
- 14.3 The Contractor shall be debarred for One year as decided by the AIIMS, Bhubaneswar Authority for the following reason-
  - (i) If the contractors submit false work experience certificates, as required. The department reserves the right to verify the particulars furnished by the applicant independently.
  - (ii) If the contractor persistently neglects to commence the work and does not carry out the contractual obligations of the contract.
  - (iii) Violates any important conditions of contract.

#### 15

#### (I) List of Eligibility Documents to be uploaded in the CPP Portal within the period of bid submission:

- (a) Scanned copy of EMD as per conditions mentioned in this tender document.
- (b) Enlistment Order of the Contractor (Civil License) in appropriate class having validity at least till the date of bid submission.
- (c) Certificates of Work Experience as required from the Client department not below the Rank of Executive Engineer.
- (d) Certificate of Registration for GST, PAN Card.
- (e) EPF, ESI Registration.
- (f) Declarations to be given by the Bidder in the format of "Annexure A".
- (g) Detailed Information of Bidder (Annexure 'B').
- (h) Notarized Affidavit of Annexure C and D.
- (i) Ink/Digitally signed e-NIT complete document.

# (II) <u>List of Eligibility Documents to be submitted in the office of EE(Civil), AIIMS, Bhubaneswar within the</u> period of bid submission: -

- (a) All the bidders shall submit original EMD in the office of EE(Civil) as stipulated in this NIT failing which the bid shall be rejected.
- (b) All the bidders shall submit the original Notarized Affidavit of Annexure C and D in the office of EE(Civil) failing which the bid shall be rejected.
- (III) <u>Physical submission of Documents by the Lowest Bidder:</u> Self-attested copy of all the scanned and uploaded documents as specified in SL 15(I) above shall have to be submitted by the lowest bidder only within a week from the date of issue LOA, in the office of EE(Civil), AIIMS, Bhubaneswar.

Executive Engineer (Civil), AIIMS, Bhubaneswar

#### **CPWD-6 for E-Tendering**

#### (GENERAL RULES & DIRECTIONS of e-NIT)

1. Online percentage rate bids are invited on behalf of Executive Director, AIIMS, Bhubaneswar in Two (02) Bid system (Technical & Financial bid) from approved and eligible contractors registered in appropriate class of Public Works Organizations like CPWD, DoP. BSNL, MES, Railways etc. & Odisha State PWD and ancillary departments or PSUs for the following work(s): -

<u>Name of Work</u>: Construction of additional washrooms for patients' attendants near Vishram Gruha of AIIMS, Bhubaneswar.

The enlistment of the contractors should be valid on the last date of submission of bid. In case the last date of submission of bid is extended, the enlistment of contractor should be valid on the original date of submission of bids.

- 1.1. The work is estimated to cost **Rs. 17,02,659/-(Rupees Seventeen Lakhs Two Thousand Six Hundred Fifty Nine only).** The estimate, however, is given merely as a rough guide.
- 1.2. Intending Bidder is eligible to submit the bid provided he has definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority of having satisfactorily completed similar works. Bidders are instructed to visit the site before participating the tender. The Bidders are instructed to visit the site to know the nature of work before participating in the tender.
- 1.2.1. Eligibility Criteria. Contractors who fulfill following requirement shall be eligible to apply: -
  - (a) Three (03) similar works, each of value **not less than 40%** of estimated cost put to tender or Two (02) similar works each of value **not less than 60%** of estimated cost put to tender or one (01) similar (Civil) work of value **not less than 80%** of estimated cost put to tender in *last 07 (Seven) Years* ending 31st July, 2025.
    - Similar work means" **General Civil Engineering works**".
  - 2. Agreements shall be drawn with the successful bidders on prescribed format. Bidders shall quote their percentage rates as per various terms and conditions of the said form which will form part of the agreement.
  - 3. The time allowed for carrying out the work will be **03** (**Three**) **Months** to be reckoned as per Schedule-F.
  - 4. The site for the work is available.
  - 5. The bid document consisting of plans, specifications, the schedule of quantities of the various type of items to be executed and the set of terms & conditions of the contract to be complied with and other necessary documents.
  - 6. After submission of bid online, the contractor can re-submit revised bid any number of times but before last time and date of submission of bid as notified. While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of bid as notified.
  - 7. Conditional Bids shall not be considered and will be out-rightly rejected at the very first instance.
  - 8. **Preparation & Submission of Tender through Online**. The tender should be submitted/uploaded online in CPP portal in 02(Two) Bids i.e Technical Bid and Financial Bid.
  - 9. **Earnest Money Deposit.** The bidder shall be required to submit the Earnest Money Deposit (EMD) for an amount of **2% of Estimated cost** in the following forms: -
    - (i) Banker's Cheque/ Account Payee Demand Draft/ Fixed Deposit Receipt (FDR) of a Scheduled Bank in favor of *All India Institute of Medical Sciences*, *Bhubaneswar* payable at **Bhubaneswar**
    - (ii) Bank Guarantee including e- Bank Guarantee from a Scheduled Bank duly pledged in the name of the "All India Institute of Medical Sciences, Bhubaneswar". The Bank Guarantee including e- Bank

Guarantee submitted as Earnest Money shall be valid for a period of 90 days for single bid works and 180 days for two bid system or more from the date of submission of the tender.

Scanned copy of the Original EMD must be uploaded with the Bid. The physical copy of original EMD shall be submitted in the office of EE(Civil) within the period of bid submission. The EMD given by all the tenderers except the L1 shall be refunded immediately after expiry of stipulated bid validity period or after acceptance of the successful bidder, whichever is earlier. The EMD of successful bidder shall be returned after the successful submission of Performance Guarantee by him. As per SOP No.5/1 of CPWD SOP-2024, the MSME firms registered in NSIC under PP policy are exempted from payment of EMD for supply of Goods & Services only. As this is a works related tender, Bids received without EMD will be rejected.

- 10. The bid submitted shall become invalid if:
  - (i) The bidder is found ineligible.
  - (ii) The bidder does not upload all the documents as stipulated in the bid document.
  - (iii) If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically by the lowest bidder in the office of AIIMS.
  - (iv) If a tenderer quotes nil rates against each item in item rate tender or does not quote any percentage above/below on the total amount of the tender, the tender shall be treated as invalid and will not be treated as lowest tenderer.
- 11. Performance Guarantee. The contractor whose bid is accepted will be required to furnish a Performance guarantee of 05% (Five Percent) of tendered amount after receiving letter of award, in the form of Account Payee Demand Draft, Fixed Deposit Receipt or Bank Guarantee from any Nationalized/Scheduled Bank duly pledged in the name of the "All India Institute of Medical Sciences, Bhubaneswar" which shall be kept valid for a period of 180 days beyond completion of all the contractual obligations. The Performance Guarantee can be forfeited by order of this Institute in the event of any breach or negligence or non-observance of any condition of contract or for unsatisfactory performance or non-observance of any condition of the contract. PG will be released after full and final settlement of Bill, without any interest. In case the contractor fails to deposit the said Performance Guarantee within the period including the extension period if any, EMD will be forfeited automatically without any notice to the contractor.
- 12. Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their bids, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bid. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The bidders shall be responsible for arranging and maintaining at his own cost, all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and terms and conditions.
- 13. The competent authority on behalf of the Executive Director, AIIMS, Bhubaneswar does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assignment of any reason. All bids in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected.
- 14. Canvassing whether directly or indirectly, in connection with bidders is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable to rejection.
- 15. The Competent Authority, The Executive Director, AIIMS, Bhubaneswar reserves to himself the right of accepting the whole or any part of the bid and the bidder shall be bound to perform the same at the rate quoted. Some of the items of the Schedule of Quantities may be executed partially or may not be executed at all depending upon the site requirement which will be decided by Engineer in charge.
- 16. The contractor shall not be permitted to bid for works in the AIIMS, Bhubaneswar responsible for award and execution of contracts, in which his near relative is posted as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazette officer in the AIIMS, Bhubaneswar. Any breach of this condition by the contractor would render

him liable to be removed from the approved list of contractors of this Department.

- 17. No Engineer of Gazette Rank or other Gazette Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of one year after his retirement from Government service, without the prior permission of the Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the bid or engagement in the contractor's service.
- 18. The bid for the works shall remain open for acceptance **for a period of 75 days** from the date of opening of bids.
- 19. The Agency may submit Post Card Size Colored Photographs showing different stages of construction activities at his own Cost.
- 20. This notice inviting bid shall form a part of the contract document. The successful bidder/contractor, on acceptance of his bid by the Accepting Authority shall within 15 days from the stipulated date of start of the work, sign the contract consisting of "The Notice Inviting bid, all the documents including additional conditions, specifications and drawings, if any, forming part of the bid as uploaded at the time of invitation of bid and rate quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.
- 21. Statutory tax recoveries i.e Income Tax, Labour Cess, CGST, SGST etc as applicable at the time of payment shall be recovered from contractor's bill as per Govt. Rules/Guidelines.
  - (a) 2.5% of the gross amount of each running and final bill till the sum deducted will amount to security deposit of 2.5% of tendered amount of the work will be deducted from the Bills of the Contractor.
  - (b) Electrical charges as per actual meter reading shall be deducted from the bill. If connection is taken directly without installation of meter with prior permission from Executive Engineer (Electrical), then amount as per the usage shall be deducted from the gross bill amount as suggested by Executive Engineer (Electrical).
  - (f) Water Charges @ 1% of the Gross Bill Amount will be deducted, if water Supply is taken from the piped water supply of AIIMS, BBSR as per CPWD guidelines.
- 22. The condition of the contract shall be governed by CPWD GCC Construction -2023 and corrected up to latest correction slip.
- 23. The Agency shall be solely responsible for compliance to the provisions of various Labor and industrial laws, such as, wages, allowances, compensations, EPF, Bonus. Gratuity, ESI etc. relating to personnel deployed by it at AIIMS, Bhubaneswar site. For any accident caused to the labours, the institute shall not be liable to bear any expense in this regard. The Agency shall make payment of wages to workers engaged by it by the stipulated date irrespective of any delay in settlement of its bill by AIIMS, Bhubaneswar for whatever reason. The Agency shall also be responsible for the insurance of its personnel.

#### 24. **Defect Liability Period:**

The DLP for this work is 12 months. During this period the agency is responsible for rectifying any defects or faults that may arise without any extra cost.

#### 25. Termination of Contract.

AIIMS, Bhubaneswar would have the right to terminate the contract, in case the work performance is not up to the standard, or in case there is any violation of AIIMS, Bhubaneswar rules & regulations, or if there is any lapse in compliance of any labour legislation, or if there is any incident of indiscipline on the part of the Tenderer or his staff and the agreement may be terminated. The decision of AIIMS, Bhubaneswar's management in this regard would be final and binding on the Tenderer. In such an event, AIIMS, Bhubaneswar shall have the right to engage any other tenderer to carry out the task.

#### 26. Dispute Settlement.

It is mutually agreed that all differences and disputes arising out of or in connection with this agreement shall be settled by mutual discussions and negotiations if such disputes and differences cannot be settled and resolved by discussions and negotiations then the same shall be referred to the sole Arbitrator appointed by the Executive Director, AIIMS, BHUBANESWAR whose decision shall be final and binding on both the parties. The contract shall be governed by laws and procedures established by Govt. of India, within the framework of applicable legislation and enactment made from time to time concerning such commercial dealings/ processing.

#### 27. Arbitration.

The Arbitration shall be held in accordance with the provision of the Arbitration and conciliations Act, 1996 and amended from time to time and the venue of arbitration shall be at Bhubaneswar. The decision of the Arbitrator shall be final and binding on the both parties.

28. **Jurisdiction of Courts:** The court of the place from where the letter of award of work has been issued shall have the jurisdiction to decide any dispute arising out of or in respect of the contract.

#### 28. Payment:

- (a) It will be mandatory for the bidders to indicate their bank account number and other relevant e-payment details so that payment could be made through RTGS/ Other mechanism.
- (b). GST and other Taxes as applicable shall be recovered/ paid from the contractor's bill as per Govt. of India/AIIMS Rules.

Executive Engineer (Civil) AIIMS, Bhubaneswar

#### ALL INDIA INSTITUTE OF MEDICAL SCIENCE, BHUBANESWAR

STATE: Odisha CIRCLE: AIIMS, Bhubaneswar

DIVISION: Civil Engineering Division.

#### **Percentage Rate Tender & Contract for Works**

E-Tender for the work of: Construction of additional washrooms for patients' attendants near Vishram Gruha of AIIMS, Bhubaneswar.

- (i) To be uploaded by 12.30 hours on 17/12/2025\*
- (ii) To be opened in presence of tenderer who may be present at 16.00 **hours on 18/12/2025** in the chamber of Superintending Engineer or Executive Engineer(Civil) and financial bid shall be opened after evaluation of Tech. Bid

#### TENDER

I/ We have read and examined notice inviting tender, schedule, A, B, C, D, E & F. specifications applicable, Drawings & Design, General Rules and Directions, Conditions of Contract, Clauses of Contract, Special conditions, Schedule of Rate & other documents forming part of the bid as uploaded at the time of invitation of bid and the rates quoted online at the time of submission of bid and Rules referred to in the Conditions of Contract and all other contents in the tender document for the work.

I/ We hereby tender for the execution of the work specified for AIIMS, Bhubaneswar within the time specified in schedule 'F', viz., schedule of quantities and in accordance in all respects with the specifications, designs, drawings and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of the contract and with such materials as are provided for, by and in respect in accordance with, such conditions so far as applicable.

I/ We agree to keep the tender open for <b>75</b> make any modifications in its terms and con	(Seventy five) days from the last day of opening of technical bids and not tonditions.
A sum of Rs	has been deposited in prescribed manner as earnest money.

If I/We fail to furnish the prescribed Performance Guarantee within prescribed period, I/We agree that AIIMS shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely.

Further, if I/We fail commence the work as specified, I/We agree that the said AIIMS shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said earnest money absolutely. The said Performance Guarantee shall be a guarantee to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.3 of the tender form.

Further, I/We agree that in case of forfeiture of Earnest Money or Performance guarantee as aforesaid, I/We shall be debarred for participation in the re-tendering process of the work.

I/we undertake and confirm that eligible similar work(s) has/have not been got executed through another contractor on back-to-back basis. Further that, if such a violation comes to the notice of the AIIMS, then I/We shall be debarred for tendering in AIIMS in future forever. Also, if such a violation comes to the notice of AIIMS before the date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of EMD/PG.

I/We hereby declare that I/We shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information derived there-from to any person other than a person to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety and integrity of the State.

	( )
Witness:	Signature of Contractor
Address:	Postal Address: -
Occupation:	

### ACCEPTANCE

` '	(Contractor) and as provided in the letters mentioned hereunder) is accepted by Director, AIIMS, Bhubaneswar for a sum of
Rs(Rupees	
)	
The letters referred to below shall form	
(b)	_
	For & on behalf of AIIMS, Bhubaneswar.
	Signature
Dated	Designation

#### SPECIAL CONDITIONS OF CONTRACT

Name of Work: Construction of additional washrooms for patients' attendants near Vishram Gruha of AIIMS, Bhubaneswar.

- 1. <u>Discrepancy between Specifications</u>. In case of discrepancy in the specifications or any other matter, the matter shall be brought by the contractor to the notice of the Engineer-in-Charge for further decision.
- 2. <u>Contractor to employ Qualified Supervisor</u>. The contractor shall employ Skilled Engineer/Supervisor to supervise and execute the work.
- 3. <u>Inconvenience to the Public</u>. The Contractor shall not deposit or store any materials at any site without permission of the Engineer in charge. The materials will be stored at such places only with prior approval of the Engineer in charge as there is no obstruction in Traffic or other Agencies.
- 4. The provision against Accident & Safety Measures.
  - (a) The Contractor will take all necessary precautions against a Fire during the course of his work and will ensure the work against Fire at his own cost.
  - (b) He will also take all case against likely damage of Floor, Walls, Doors, Windows or any part of the Building. In case of any damage or loss, the contractor has to make good at his own cost.
- 5. **Specifications**. The work shall be carried out as per CPWD Specifications Volume I & II 2019 with up to date correction slips. The contractor should be well aware of these specifications before quoting the rates in Financial Bid for the subject tender. In the absence of specifications for any work or material, relevant Indian Standard (ISI) Specification shall be applicable.
- 6. <u>Cleaning the Site</u>. The site described and shown on the plans, shall be cleared off all the rubbish of all kinds etc. complete. After completion of the work and the site shall be handed over in neat and clean condition.
- 7. **Secrecy**. In a view to safeguard the Secrets & Confidential information relating to All India Institute of Medical Science, Bhubaneswar, the Tenderer binds himself and his successors to secrecy & contracts to bind to secrecy of his Officials, Managers, Technical Senior Staff & all other staff directly or indirectly concerned in or whom have to acquire information relation to the AIIMS, Bhubaneswar equipment and the Tenderer shall access to any such information.
- 8. <u>Security Rules</u>. The Contractor shall follow at Site Security rules regarding removal of materials from site, issue of materials from site, issue of materials from stores, issue of Identity Card etc., as may be framed from time to time by the Engineer. It is to note that the Security Section is empowered to carry out the checks.
- 9. <u>Care in case of occupied buildings</u>. Tenderer may also note that when the subject work is to be carried out in the premises of occupied residential and other buildings which are already under occupation, all care shall be taken to protect personal and/or Government materials fixtures, appliances, equipment's etc. In case of any damage to any of the existing arrangements, contractor is liable to do such work to its original and/or shall be liable to pay the cost of such damages/losses. The work shall be carried in close co-ordination with occupants of these buildings without any hindrance and interruption.
- 10. <u>Supply of Tools, Tackles & other materials</u>. For full completion of the work, Contractor shall at his own expense arrange and furnish all necessary work tools, tackles, scaffolding, tagaries, mugs, scrappers, wire brushes etc., that may be required to complete the work under contract.
- 11. <u>Inspection of Work</u>. Engineer or any person appointed by them shall have access and right to inspect the work, or any part thereof at all times and places during the progress of the work. The inspection and supervision is for the purpose of assuring owner and/or Engineer in charge and their representative will extend to contractor all desired assistance in interpreting the plans and specifications, all such assistance shall not relieve contractor from any responsibility for the work. Contractor without delay shall correct any work, which proves faulty.
- 12. <u>Wastage</u>. The contractor should note that wastage of any items shall not be paid extra. The items shall be paid based on the executed work at site. All coefficients shall be as per relevant IS code.
- 13. Contractor shall take all precautionary measures to avoid any damages to adjoining property. All necessary arrangement shall be made at his own cost.
- 14. The contractor shall take instructions from the Engineer-in-Charge regarding collection and stacking of materials at any place. No excavated earth or building rubbish shall be stacked on areas where other buildings, roads, services and compound walls are to be constructed.
- 15. Normally, Contractors shall not be allowed to work at night. Work at night shall, however, be allowed if the site condition/circumstances so demand. However, if the work is carried out in more than one shift or at night, no claim on this account shall be entertained. In such situations, the Contractor shall make available to the department in proper means of transport such as vehicle at his own cost.
- 16. The contractor shall be responsible for the procurement of all the materials required to complete the work.

- 17. The contractor shall be deemed to have examined the Contract documents, to have generally obtained his information in all matters whatsoever that might affect the carrying out the works at the quoted rates and to have satisfied himself to the sufficiency of the tender. Any error in description or quantity or any other aspect in quoted rates or omission there from shall not vitiate the contract or release the contractor from executing the work comprised in the contract as per drawing and specification at the scheduled rates. He is deemed as an experienced contractor to know the scope, nature and magnitude of works and the requirements of material and labour and the type of work involved, etc. and as to what all work he has to complete in accordance with contract document whatever be the defects, omissions or errors that may be found in the contract document. The contractor shall be deemed to have visited the site and its surroundings to have satisfied himself as to the nature of all existing structures, if any and also to the nature and means of transport and communication to have access to and regress from the site.
- 18. All materials issued in the works shall be subjected to inspection and tests if required by Engineer in charge. Samples required for approval and testing must be supplied with sufficient time allowed for testing and approval. Materials shall be tested on site if required by Engineer in Charge and they may be rejected if found not suitable or not in accordance with the specification or Test certificate or any approval given earlier. The contractor shall carry out necessary test as per the direction of Engineer in charge in approved NABL/ Govt. laboratories. **The expenses towards all such tests are to be borne by the contractor at his own cost.** Tests shall be conducted as per relevant Indian Standard Specifications.
- 19. All manufacturer's certificates of tests showing that the material has been tested in accordance with the requirement of the appropriate Indian standard, other relevant specification are to be supplied free of charge.
- 20. All Electrical Connections/Wirings etc. (if required) for the work shall have to be taken from the nearest source with prior permission from Executive Engineer (Electrical). All expenses on this account shall be borne by the contractor. The electrical expenses shall be charged based on the meter reading. If connection is taken directly without installation of meter, then then amount as per the usage of electrical equipment shall be deducted from the gross bill amount as suggested by Executive Engineer (Electrical).
- 21. Water if available may be supplied to the contractor by the department subject to the following conditions: -
- (i) The water charges @1% of the gross bill amount shall be recovered on gross amount of the work done if it is taken departmentally.
- (ii) The contractor(s) shall make his/their own arrangement of water connection and laying of pipelines from existing main of source of supply at his own cost.
- (iii) The Department do not guarantee to maintain uninterrupted supply of water and it will be incumbent on the contractor(s) to make alternative arrangements for water at his/ their own cost in the event of any temporary break down in the Government water main so that the progress of his/their work is not held up for want of water. No claim of damage or refund of water charges will be entertained on account of such break down.
- 22. The contractor shall engage necessary staffs/ technical person as per Clause 32 of Schedule 'F' as per this tender document. The name, qualification and technical experience of the contractor representative shall be submitted to the Engineer in charge before start of the work. Violation of this clause will lead to non-compliance and recovery will be made as per Clause 32 of Schedule 'F'.
- 23. Required safety measures is to be adopted before starting chipping/scaffolding works so that any inconvenience may not be faced.

#### 24. LIST OF APPROVED MAKE OF MATERIALS

Specification/brands names of materials (Refer materials, whichever are applicable for the scope of work) and finishes approved by the Engineer-in-Charge are listed below. However, approved equivalent material and finishes of any other specialized firms may be used, in case it is established that the brands specified below are not available in the market but only after approval of the alternate brand by the Engineer-in-Charge.

SL. NO.	MATERIAL	<u>MANUFACTURER</u>
1.	STRUCTURAL BUILDING MATERIALS	
1.1	ORDINARY PORTLAND CEMENT /POZZOLONA PORTLAND CEMENT	ACC, ULTRATECH, AMBUJA, KONARK, DALMIA.
1.2	WHITE CEMENT	BIRLA WHITE, JK WHITE, ACC.
1.3	REINFORCEMENT BAR (TMT) /STRUCTURAL STEEL SUCH AS ANGLES, TUBULAR MEMBERS	TATA, SAIL, RINL., JSW, BHUSAN STEEL.
1.4	REBARRING CHEMICAL	BOSCH, 3M INDIA, BIRLA, HILTI
1.5	CONCRETE ADMIXTURES	FOSROC, SIKA, CICO, BASF, PIDILITE, STP
1.6	MICRO CONCRETE	FOSROC, SIKA ,DUBOND, BUILTECH

1.7	READYMIX CONCRETE	ULTRATECH , ACC, RAMCO.
1.8		BASF, MYK SCHOMBURG, FOSROC, CICO
	RESIN ANCHOR SYSTEM	
1.9	DAMP PROOF MATERIAL	DR. FIXIT, FOSROC, CICO, MYK, CIKA, PIDILITE
1.10	PT STRANDS	DP, TATA, USHA MARTIN.
1.11	STRUCTRAL GLAZING	MODI, SAINT GOBAIN, ASAHI
2.	FINISHING	
2.1	PREMIUM ACRYLIC EMULSION PAINTS	BERGER PAINT(SILK), ASIAN PAINT(ROYAL), IC.
		DULEX (VELVET TOUCH), NEROLAC (IMPRESSION)
2.2	ACRYLIC DISTEMPER	ASIAN PAINTS, DULUX (SUPERCLEAN), BERGER
2.3	CEMENT PRIMER (EXTERIOR/ INTERIOR)	
2.4	WOOD/ STEEL PRIMER	ICI, NEROLAC, ASIAN PAINTS, DULUX,
2.5	EXTERIOR PAINT	ASIAN PAINT, BERGER, DULUX, NEROLAC JSW PAINT
2.6	SYNTHETIC ENAMEL PAINT	BERGER, ASIAN PAINTS, ICI, J&N, NEROLAC
2.7	EPOXY PAINT	KANSAI NEROLAC, FOSROC, ASIAN, AKZONOBEL
		(DULUX)
2.8	FRENCH SPIRIT / MELAMINE POLISH	ASIAN PAINTS, WUDFIN OF PIDILITE, BERGER NIPPON, SHEENLAC, BIRLA OPUS
2.9	WALL PUTTY	BIRLA WALL CARE, JK WHITE, BERGER, ASIAN
		WALL PUTTY
2.10		GYPROC INDIA (WEBER SET), FERROUSCRETE
	PLASTER	(INSTA PLAST), ULTRATECH (RADIO MIX),
2.11	POLYMER MODIFIED SELF CURING PLASTER	GFERROUSCRETE, ULTRATECH, SAINT GOBAIN, MYK
2.12	RED OXIDE ZINC CROMATE PRIMER &	DULUX, ASIAN, BERGER, NEROLAC,
	ZINC RICH PRIMER	
3.	FLOORING	
3.1	VITRIFIED FLOOR/WALL TILES	SOMANY, JOHNSON, KAJARIA,RAK
3.2	CERAMIC FLOOR TILES/WALL TILES	SOMANY, JOHNSON, KAJARIA, RAK
3.3	EPOXY FLOORING	FLOWCRETE, BASF, FOSROC
3.4	WOODEN LAMINATE FLOORING	ARM STRONG, SQUARE FOOT, VISTA, MIKASA
3.5	PVC VINYL/ ANTI STATIC FLOORING	TARKETT, POLYFLOR, GERFLOR SQUARE FOOT FORBO, ARMSTRONG,
3.6	CARPET FLOORING	OCEANZ ACOUSTICS/ WELSPUN/ INTERFACE
		FLOOR/ FLOTEX / MOHAWK/ UNITEX ARCHEX, BVC
		INDUSTRIES, PUNEET INDIA PVT LTD, TUNTEX
3.7	HARDWOOD FLOORING	IFS, PUNEET INDIA, PIXEL
3.8	TACTILE TILES	SOMANY, KAJARIA, JOHNSON
3.9	TACTILE TILES (STEEL)	KICH, KONCEPT STEEL, JINDAL STEEL
3.10	PAVING TILE	SOMANY, KAJARIA, JOHNSON,ULTRA
3.11	FALSE FLOOR	UNIFLOOR, UNITILE, CAMFLOR
3.12	MOSAIC / CHEQUERED TILES	BISAZA, BIRLA WHITE, JK WHITE.
3.13	CEMENT CONCRETE TILES (DESIGNER TILES)	RGICO (ISI), ULTRA, EUROCON, HINDUSTAN TILES.
3.14	WOOD POLYMER FLOOR (WPC)	EUROWOODS WONDER FLOOR ACTION TESA PERGO
3.15	NON METALLIC FLOOR HARDENER (DRY	MC BAUCHEMIE (INDIA), FOSROC, HUNTSMAN
	SHAKE TOPPING)	BASF
3.16	GRASS PAVER	UNISTONE, ULTRA,
4.	FALSE CEILING	
4.1	GYPSUM BOARD /GLASS REINFORCED GYPSUM BOARD	ST. GOBAIN, USG BORAL, ARMSTRONG, DIAMONE CEILING, AEROLITE.

	FALSE CEILING	
4.2	FALSE CEILING- GYPSUM, CALCIUM SILICATE, MINERAL FIBRE	GYPROC , ARMSTRONG, USG, AEROLITE, EVEREST.
4.3	FALSE CEILING- ALUMINIUM METAI TILES & PLANKS	ARMSTRONG, DURLUM, LINDNER, DIAMOND
4.4	ACCOUSTIC: GLASS FIBRE FALSE	ARMSTRONG/ ANUTONE/ HUNTER DOUGLAS /
	CEILING AND WOODEN/ FABRIC WALILINING	CREDENCE
5.	WOOD WORK	
5.1	PLYWOOD, MDF BOARDS	GREEN, CENTURY, KITPLY, ARCHID, ACTION TESA
5.2	VENEERED PARTICLE BOARD	MERINO, GREEN (DECOWOOD), DURO, ARCHIDPLY
5.3	LAMINATED PARTICLE BOARD	MERINO, GREENLAM, CENTURY, ARCHIDLAM, STYLAM, KITPLY, ACTION TESA
5.4	HIGH PRESSURE LAMINATES	MERINO, GREENLAM, CENTURY, ARCHIDLAM.
6.	DOORS	1
6.1	FACTORY MADE FLUSH DOOR SHUTTER PANEL DOOR SHUTTER	CENTURY, KIT PLY DURO, ARCHID PLY, GREENLAM.
6.2	AUTOMATIC SLIDING DOORS	SCHUCO ,SAPA BUILDING SYSTEMS, EUROPEAN
		FAÇADE PRODUCT (EPF), REYNERS
6.3	REVOLVING DOORS	DORMA BOON EDAM,DORMA KABA
6.4	WOOD PLASTIC COMPOSITE (WPC DOORS	RAJSHRI, CENTURYALSTONE, ARCHIDPLY
6.5	FRP DOOR FRAME & SHUTTERS	DUROPLAST, JAIN DOORS, RAJSHREE
6.6	ACCESSORIES FOR DOORS AND WINDOWS	GODREJ, DORMA, DORSET
7.	ALUMINUM WORK	
7.1	ALUMINUM SECTION	HINDALCO, INDALCO, JINDAL
7.2	HYDRAULIC DOOR CLOSER / FLOOR SPRING	GODREJ, DORMA, DORSET, HARDWYN
7.3	ACP ALUMINIUM COMPOSITE PANELS	ALUDECOR, ALCOBOND, ALSTRONG ALSTONE
8	UPVC WINDOWS	
8.1	UPVC DOORS AND WINDOWS	DUROPLAST, FENESTA, KOEMMERLING, SAINT GOBAIN, RAJSHRI
8.2	HARDWARE FOR UPVC DOORS AND WINDOWS	COTSWOLD, DORSET, DNV GLOBAL, EDCO
9.	GLASS	
9.1	FLOAT GLASS/ TOUGHENED GLASS	MODI GUARD, SAINT GOBAIN, TATA-ASHAI
9.2	REFLECTIVE GLASS, MIRROR GLASS	MODI GUARD, SAINT GOBAIN, TATA-ASHAI,HNG
9.3	GLASS DOOR HARDWARE	DORMA, HAFELE, OZONE, DORSET
10.	FIRE DOORS	
10.1	FIRE PROOF STEEL DOORS AND GENERAL PURPOSE STEEL DOORS	METAFLEX, SHAKTI HORMANN, PROMAT, ROMAT, TUFWOOD, TATA PRAVESH, SAINT GOBAIN
10.2	FIRE RATED VISION PANELS	SAINT GOBAIN, PILKINGTON, SCHOTT, FERILITE, SAINT GOBAIN
10.3	FIRE RATED GLASS	SAINTGOBAIN, MODI SCHOTT, PILKINTON, SAINT GOBAIN, SEZAL
11	PLUMBING, SANITARY & SEWARAGE	
11.1	G.I. FITTINGS	TATA, UNIK, AVR, ZOLOTO
11.2	UPVC/ CPVC/ PVC PIPE, FITTINGS AND FIXTURE	FINOLEX, ASTRAL, SUPREME, ORIPLAST
11.3	HDPE PIPES	ORIPLAST , FINOLEX, SUPREME, ASTRAL
11.4		LEADER, ZOLOTO, LK, KRANTI, SANT
11.→	GOTT MILITAL TALTES GLODES	LLI DLIN, LOLOTO, LIN, IMMITTI, DMITT

115	CD DDAGC EITTINGC CANITADY	LACITAD KOTT ED COOTE DOCA
11.5	CP BRASS FITTINGS, SANITARY FITTINGS AND ACCESSORIES	JAQUAR, KOHLER, GROHE, ROCA,
11.6		JAQUAR, KOHLER, HINDWARE, PARRYWARE
11.0	WASHBASIN, URINALS	JAQUAK, KOHLEK, HINDWAKE, FAKKT WAKE
11.7	PVC CISTERN	JAQUAR, HINDWARE, KOHLER
11.8	STAINLESS STEEL SINK	JAQUAR, KOHLER, GROHE, AMERICAN STANDARD, CERA, NEELKANTH, NIRALI, JAYNA
11.9	DI PIPES AND FITTINGS	ELECTRO STEEL, JINDAL, TATA DUCTURA,
11.10		INDIAN HUME PIPE, JAIN & CO, MADURAI SPUN PIPE,
11.11		SINTEX, SPL, SFMC, SUPREME
11.11	PTMT FITTINGS	PRAYAG POLYMER PVT. LTD, PRINCE
11.12	FIMI FITTINGS	FRATAG FOLTMER FVI. LID, FRINCE
12.	WATER PROOFING	
12.1	WATERPROOFING COMPOUND AS	FOSROC, CICO, SIKA, PIDILITE, WEBER, BASF, STP
	ADMIXTURES	MYK, DR FIXIT, ASIAN SMART CARE
12.2		MYK, DBS, BASF, FOSROC, PIDILITE, SUPREME,
	,	ASIAN SMART CARE
12.3		FIRE STONE, DBS, PIDILITE, CICO, BERGER, ASIAN
10.4		SMART CARE, STP
12.4	EPDM WATERPROOFING MEMBRANE	CARLISLE, PIDILITE, FIRESTONE, DBS, ASIAN SMART CARE
12.5		BITUMAT, STP, BENGAL BITUMEN
13.	ROAD WORK	
13.1	BITUMEN	INDIAN OIL/ HINDUSTAN PETROLEUM/ BHARAT
		PETROLEUM
13.2	INTERLOCKING PAVER BLOCK	SUPER TILES, HIND MOSAIC, KAJARIA, ULTRA
		DESIGNER TILE, NITCO, VITCO, VYAARA, AK TILES
14.	OTHER ITEMS	
14.1		KICH, OZONE, REHASA, JINDAL (COMPLETE RAILING
1.4.0		SYSTEM)
14.2	*	PIDILITE, BAL ENDURA, FOSROC, FERROUSCRETE, TEEMAX, TEEMAX TETRA POLYMORTAR 44,
	COMPOUND , MORTAR REPAIR COMPOUND, STRUCTURE GROUTING	
14.3		FEVICOL, 3M, SIKA, THERMOSHIELD
14.4		HILTI, FISCHER, BOSCH, WUERTH
14.5		IRONITE, FERROK, HARDONATE
14.6		BASF, FOSROC, SIKA, MYKLATICRETE
14.7		TATA, ESSAR, JSW STEEL LTD, JSPL, LLOYDS,
17.7		BHUSAN
	1	= ·- ·

Executive Engineer (Civil) AIIMS, Bhubaneswar

#### **PROFORMA OF SCHEDULES**

(Separate Performa for Works in case of Composite Tenders) (Operative Schedules to be supplied separately to each intending tenderer)

#### SCHEDULE 'A'

**Schedule of quantities: - (ENCLOSED)** 

#### SCHEDULE 'B'

Schedule of materials to be issued to the contractor.

Ser. No.	Description of item	Quantity	Rates in figures & words at which the material will be charged to the contractor	Place of issue
(1)	(2)	(3)	(4)	(5)
NIL.				

#### SCHEDULE 'C'

Tools and plants to be hired to the contractor

Ser. No.	Description	Hire charges per day	Place of Issue		
(1) (2) (3)		(3)	(4)		
	DELETED				

#### SCHEDULE 'D'

Additional Condition and specifications: Enclosed.

#### SCHEDULE 'E'

(Reference to General conditions of Contract.)

Name of Work: Construction of additional washrooms for patients' attendants near Vishram Gruha of AIIMS, Bhubaneswar.

Estimated Cost of Work: Rs. 17,02,659/-

(a) Earnest Money = **02%** of Estimated cost

(b) Security Deposit = 2.5% of the gross amount of each running and final

bill till the sum deducted will amount to security deposit of 2.5 % of tendered amount of the work.

(c) Performance Guarantee = 05% of Contract Value

#### SCHEDULE 'F'

GENERAL RULES & DIRECTIONS:

Officer Inviting Tender :- Executive Engineer (Civil), AIIMS, Bhubaneswar

in accordance with Clause -12.2 &12.3 See below =

-	•				
IJ	efi	nı	Ħ	or	าร

2 (v)	Engineer-in-Charge	Executive Engineer (Civil),

AIIMS, Bhubaneswar

2(viii) Accepting Authority **Executive Director** 

AIIMS, Bhubaneswar

Percentage on cost of materials and 15% 2(x)

labor to cover all over heads and profit

Standard Schedule of Rates Central Public Works Department 2(xi)

Schedule of Rates - 2023 at Delhi with

up to date correction slips

GCC for CPWD Construction - 2023 as 9(ii) Standard AIIMS Contract Form

amended and up to and including

correction slip

Clause – 1.

Time allowed for submission of Performance guarantee, : 07 Days (i) Program Chart (Time & Progress) and applicable Labor

Licenses, Registration with EPFO, ESIC & BOCW Welfare Board or proof of applying thereof from the date

of issue of letter of acceptance

Maximum allowable Extension with late fee @ 0.1% per 01 to 15 days.

day of Performance guarantee amount beyond the period

provided in (i) above.

Clause – 1A Yes

Clause – 2.

Authority for fixing compensation under Clause 2 Executive Director, AIIMS.

Bhubaneswar

Whether Clause 3 shall be applicable Yes Clause-4. Yes

Clause – 5.

Time allowed for execution of work 03 (Three) Months

Number of days from the date of issue of work order for reckoning

date of start

07 Days from issue of work order or 1st date of handing over of the

site whichever is later.

Authority to decide fair & reasonable extension of time for

completion of work

**Superintending Engineer** AIIMS, Bhubaneswar

Clause – 6.

Computerized Measurement book Yes

<u>Clause – 7.</u>

Payment on intermediate certificate to be regarded as Advances No

Clause – 7A.

Whether clause 7A shall be applicable YES. Clause – 7B. NO

Clause - 8 & 8A. **YES** Clause – 9. YES

Clause - 9A. NO Clause - 10A. YES

Clause - 10B.

Whether Clause 10B(ii) shall be applicable : No.

Clause – 10C.: Not applicable.Clause – 10CC.: Not applicable.

Clause – 10D. : YES

**Clause – 11.** 

Specification to be followed for Execution of work as on the date

of opening of the tender.

CPWD Specifications Volume I & II 2019 with up to date

correction slips

<u>Clause – 12.</u> 12.2 &12.3 Limit for value of any item of any : **No Limit** 

individual trade beyond which sub clauses (i) to (v) shall not be

applicable

 Clause – 13.
 : YES

 Clause – 14.
 : YES

 Clause – 15.
 : YES

**Clause – 16.** 

Competent Authority for deciding reduced rates : Superintending Engineer AIIMS,

Bhubaneswar

 Clause − 17.
 : YES

 Clause − 18 to 24.
 : YES

**Clause – 25.** 

Settlement of dispute & Arbitration : Executive Director, AIIMS,

Bhubaneswar

Clause - 32.

Requirement of Technical Staff and rate of recovery in case of non-compliance shall be as per the following table:-

Value of Work	Ser. No	Minimum qualification of Technical Representative	Discipline	Designation (Principal Technical/ Technical representative)	Minimum Experience in years	Numbe r	shall be ma	
For Cost of work between Rs 15 Lakhs to Rs 150 Lakhs	(a)	Graduate Engineer <b>OR</b> Diploma Engineer	Civil	Principal Technical representative	02 years for Graduate Engineer/ 05 years for Diploma Engineer	1	Rs 15,000/- per month	Rs Fifteen Thousand only
For Cost of work amount between	(a)	Graduate Engineer	Civil	Principal Technical representative	5years	1	Rs 25,000/- per month	Rs Twenty- Five Thousand only
Rs 150 Lakhs to Rs 500 Lakhs	(b)	Graduate Engineer <b>OR</b> Diploma Engineer	Civil	Technical representative	02 years for Graduate Engineer/ 05 years for Diploma Engineer	1	Rs 15,000/- per month	Rs Fifteen Thousand only

# **Schedule of Quantities**

### e-NIT No.: AIIMS/BBSR/Engg./016/2025-26

Name of Work: - Construction of additional washrooms for patients' attendants near Vishram Gruha of AIIMS, Bhubaneswar.

Sl No.	Description Of Item	QTY.	Unit	Rate	Amount
1	Earth work in excavation by mechanical means (Hydraulic excavator)/ manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 Sqm on plan), including dressing of sides and ramming of bottoms, for all lift, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. All kinds of soil.	15.00	Cum	253.27	3799.08
2	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating Each deposited layer by ramming and watering, lead up to 50 m and for all lift	10.00	Cum	190.71	1907.08
3	Supplying and filling in plinth with river sand under floors, including watering, ramming, consolidating and dressing complete.	11.00	Cum	2066.41	22730.50
4	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level: 1:4:8 (1 Cement: 4 coarse sand (zone-III): 8 graded stone aggregate 40 mm nominal size).	9.40	Cum	6628.08	62303.91
5	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level:  1:1.5:3 (1 cement: 1.5 coarse sand (zone-III): 3 graded stone aggregate 20 mm nominal size)	4.70	Cum	8801.51	41367.12
6	Reinforced cement concrete work in beams, suspended floors, roofshaving slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level upto floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement: 1.5 coarse sand(zone-III) derived from natural sources: 3 graded stone aggregate 20 mm nominal size derived from natural sources).	9.00	Cum	11194.85	100753.66
7	Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. above plinth level up to floor five level, excluding cost of centering, shuttering, finishing and reinforcement :1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) : 3 graded stone aggregate 20 mm nominal size)	1.40	Cum	10559.92	14783.89
8	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing: 1:1½:3 (1 cement : 1½ coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources	0.50	Cum	10077.90	5038.95
9	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete. Thermo-Mechanically Treated bars of grade Fe-500D or more.	1359.00	Kg	104.94	142610.81
10	Centering and shuttering including strutting, propping etc. and removal of form for all heights :				
10.1	Foundations, footings, base of column and mass of concrete	15.76	SQM	381.56	6013.39
10.2	Lintels, beams, plinth beams, girders, bressumers and cantilevers	26.86	SQM	716.52	19245.65
10.3	Weather shade, Chajjas, corbels etc., including edges	4.00	SQM	925.42	3701.68
10.4	Columns, Pillars, Piers, Abutments, Posts and Struts	87.00	SQM	935.34	81375.01
10.5	Suspended floors, roofs, landings, balconies and access platform	50.00	SQM	902.21	45110.71
11	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: Cement mortar 1:6 (1 cement : 6 coarse sand)	5.00	Cum	6939.68	34698.40
12	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level inall	22.30	Cum	8860.09	197579.99

	shapes and sizes in : Cement mortar 1:6 (1 cement : 6 coarse sand)				
13	Half brick masonry with common burnt clay F.P.S. (non modular) bricks ofclass designation 7.5 in foundations and plinth in : cement mortar 1:4 (1 cement : 4 coarse sand)	40.00	Sqm	880.61	35224.55
14	12 mm cement plaster of mix : 1:6 (1 cement: 6 fine sand)	124.00	Sqm	324.35	40219.34
15	15 mm cement plaster on rough side of single or half brick wall of mix: 1:6 (1 cement: 6 coarse sand)	170.00	Sqm	384.68	65394.84
16	Grading roof for water proofing treatment with :Cement mortar 1:3 (1 cement : 3 coarse sand)	1.04	Cum	15677.07	16304.16
17	Add for plaster drip course/ groove in plastered surface or moulding to R.C.C. projections.	61.00	Metre	76.28	4653.28
18	Finishing walls with Acrylic Smooth exterior paint of required shade: New work (Two or more coat applied @ 1.67 ltr/10 Sqm over and including priming coat of exterior primer applied @ 0.90 litre/10 Sqm)	124.00	Sqm	156.26	19376.71
19	Distempering with 1st quality acrylic distemper (ready mixed) having VOCcontent less than 50 gram/litre, of approved manufacturer and of required shade and colour all complete to achieve even shade and colour:  New work (two or more coats) over and including water thinnable priming coat with cement primer having VOC content less than 50 gram/litre	170.00	Sqm	180.64	30708.37
20	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade: Two or more coats on new work over an under coat of suitable shade with ordinary paint of approved brand and manufacture	8.40	Sqm	220.14	1849.18
21	Providing and fixing 1st quality ceramic glazed floor tiles conforming to IS: 15622 (thickness to be specified by the manufacturer) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge in skirting, risers of steps and dados over 12 mm thick bed of cement Mortar 1:3 (1cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3Kgper Sqm including pointing the joints with white cement mixed with pigment of matching shade complete.	43.16	Sqm	1082.66	46724.23
22	Providing and laying factory made chamfered edge Cement Concrete paver blocks in footpath, parks, lawns, drive ways or light traffic parking etc, of required strength, thickness & size/ shape, made by table vibratory method using PU mould, laid in required colour & pattern over 50mm thick compacted bed of sand, compacting and proper embedding/laying of inter locking paver blocks into the sand bedding layer through vibratory compaction by using plate vibrator, filling the joints with sand and cutting of paver blocks as per required size and pattern, finishing and sweeping extra sand. complete all as per direction of Engineer-in-Charge. 60mm thick cement concrete paver block of M-35 grade with approved colour, design & pattern.	34.00	Sqm	1017.42	34592.19
23	Providing and fixing factory made single extruded WPC (Wood PolymerComposite) solid door/window/Clerestory windows & other Frames/Chowkhat comprising of virgin PVC polymer of K value 58-60 (Suspension Grade), calcium carbonate and natural fibers (wood powder/ rice husk/wheat husk) and non toxic additives (maximum toxicity index of 12 for 100 gms) fabricated with miter joints after applying PVC solvent cement and screwed with full body threaded star headed SS screws having minimum frame density of 750 kg/cum, screw withdrawal strength of 2200 N (Face) & 1100 N (Edge), minimum compressive strength of 58 N/mm2, modulus of elasticity 900 N/mm2 and resistance to spread of flame of Class A category with property of being termite/borer proof, water/moisture proof and fire retardant and fixed in position with M.S hold fast/lugs/SS dash fasteners of required dia and length complete as per direction of Engineer-In- Charge. (M.S hold fast/lugs or SS dash fasteners shall be paid for separately).Frame size 50 x 100 mm.	10.40	Metre	922.11	9589.97
24	Providing and fixing Fiber Glass Reinforced plastic (FRP) Door Frames of cross-section 90 mm x 45 mm having single rebate of 32 mm x 15 mm to receive shutter of 30 mm thickness. The laminate shall be moulded with fire resistant grade unsaturated polyester resin and chopped mat. Door frame laminate shall be 2mm thick and shall be filled with suitable wooden block in all the three legs.	35.00	Mtr.	555.53	19443.55

	The frame shall be covered with fiber glass from all sides. M.S. stay shall be provided at the bottom to steady the frame.				
25	Providing and fixing ISI marked flush door shutters conforming to IS: 2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters: 30 mm thick including ISI marked Stainless Steel butt hinges with necessary screws	4.20	Sqm	2113.45	8876.50
26	Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete :300x16 mm	18.00	Each	295.06	5311.12
27	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : $1868$ ) transparent or dyed to required colour or shade, with necessary screws etc. complete : $300x10$ mm	7.00	EACH	126.59	886.13
28	Providing and fixing aluminium handles, ISI marked, anodised (anodiccoating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : 125 mm	18.00	Each	64.46	1160.30
29	Providing and fixing aluminium extruded section body tubular type universal hydraulic door closer (having brand logo with ISi, IS: 3564,embossed on the body, door weight upto 36 Kg to 80 Kg and door width from 701 mm to 1000 mm), with double speed adjustment with necessary accessories and screws etc. complete	2.00	Each	956.60	1913.21
30	Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete. Twin rubber stopper	2.00	Each	70.40	140.79
31	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass/ stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately): Powder coated aluminium (minimum thickness of powder coating 50 micron)	38.85	Kg	516.57	20068.58
32	Providing and fixing Ist quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	120.20	Sqm	1233.72	148298.08
33	Providing and fixing to existing door frames: 30 mm thick Glass Fibre Reinforced Plastic (FRP) panelled door shutter of required colour and approved brand and manufacture, made with fire - retardant grade unsaturated polyester resin, moulded to 3 mm thick FRP laminate for forming hollow rails and styles, with wooden frame and suitable blocks of seasoned wood inside at required places for fixing of fittings, cast monolithically with 5 mm thick FRP laminate for panels conforming to IS: 14856, including fixing to frames.	11.76	Sqm	3620.29	42574.61
34	Providing and fixing water closet squatting pan (Indian type W.C.pan ) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests	4.00	Each	6584.68	26338.72

35	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: W.C. pan with ISI marked white solid plastic seat and lid.	3.00	Each	6339.63	19018.89
36	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: White Vitreous China Flat back wash basin size 550x 400 mm with single 15 mm C.P. brass pillar tap	4.00	Each	1828.46	7313.85
37	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. : Internal work - Exposed on wall: 20 mm nominal outer dia. Pipes.	50.00	Metre	325.96	16297.75
38	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. : Internal work - Exposed on wall: 25 mm nominal outer dia. Pipes.	40.00	Metre	390.71	15628.33
39	Providing and fixing SWR Polyvinyl Chloride (PVC) pipes including all PVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step PVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. :110 mm nominal dia SWR Pipes	30.00	Metre	543.00	16290.00
40	SWR PVC Pipes 160 mm diameter	29.19	Metre	849.00	24782.31
41	Providing and fixing uplasticised PVC connection pipe with brass unions: 30 cm length 15 mm nominal bore	4.00	Each	82.71	330.82
42	Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931: 15 mm nominal bore.	4.00	Each	652.35	2609.39
43	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931: 15 mm nominal bore	7.00	Each	493.12	3451.81
44	Providing and fixing C.P. brass health faucet of approved quality with all wall mount installation including tube and wall hook conforming to IS standards as per direction of Engineer-in-charge all complete.	7.00	Each	1974.00	13818.00
45	Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete.	4.00	Each	1564.54	6258.14
46	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931. 15 mm nominal bore.	18.00	Each	558.79	10058.29
47	Providing and fixing PTMT Ball cock of approved quality, colour and make complete with Epoxy coated aluminium rod with L.P./ H.P.H.D. plastic ball.25 mm nominal bore, 152 mm long, weighing not less than 440 gms	4.00	Each	509.66	2038.63
48	Providing and fixing PTMT shelf 440 mm long, 124 mm width and 36 mm height of approved quality and colour, weighing not less than 300 gms	2.00	Each	693.94	1387.89
49	Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) 25 mm nominal bore	2.00	Each	605.60	1211.19
50	Providing and fixing PTMT towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fittings arrangement of approved quality and colour:  600 mm long towel rail with total length of 645 mm, width 78 mm and effective height of 88 mm, weighing not less than 190 gms.	7.00	Each	689.81	4828.66
51	Providing and fixing C.P. brass shower rose with 15 or 20 mm inlet: 100 mm diameter	7.00	Each	2028.00	14196.00
52	Providing and fixing CP brass grating of approved quality and colour. Circular type, 125 mm nominal dia	11.00	Each	359.00	3949.00
53	Constructing brick masonry road gully chamber 50x45x60 cm with bricks in cement mortar 1:4 (1 cement : 4 coarse sand) including 500x450 mm pre-cast R.C.C. horizontal grating with frame complete as per standard design : With	1.00	Each	5797.04	5797.04
	common burnt clay F.P.S. (non modular) bricks of class designation 7.5				

Demolshing coment concrete mutually by mechanical means including subsequence of material within 50 metters lead as per direction of Engineer - in - 400	54	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.	4.00	Cum	256.82	1027.29
See   mm mornial size) in pavements, fails to required slope and camber in panels as required including consolidation frinshing and tamping complete.	55	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in -	4.00	Cum	1463.00	5852.01
sand ) with R.CC. (up slab with 1:15.3 mix (1 cement : 1.5 coarse sand (cone-III) : 3 graded stone aggregate 20 mm normal size), inside placed stone aggregate 40 mm normal size), inside placed stone aggregate 40 mm normal size), inside placed stone aggregate 20 mm normal size), inside placed stone aggregate 20 mm normal size), inside placed stone aggregate 20 mm normal size), inside placed with a floating coat of neat cement and making channels in cement concrete 1:24 (cement : 2 coarse sand : 4 graded stone aggregate 20 mm normal size), finished with a floating coat of neat cement complete as per standard designations of 82 (weight of core 22 kg and weight of forcer and farme (light duty) 455x610 mm internal dimensions, total weight of cover and farme (light duty) 455x610 mm internal dimensions, total weight of farme 15 graded stone aggregate 20 mm normal size), inside placed stone aggregate 40 mm normal size), inside placed stone aggregate 20 mm normal size derived from natural sources : 6 graded stone aggregate 20 mm normal size derived from natural sources : 6 graded stone aggregate 20 mm normal size derived from natural sources : 6 graded stone aggregate 20 mm normal size derived from natural sources : 17.50 graded stone aggregate 20 mm normal size derived from natural s	56	mm nominal size) in pavements, laid to required slope and camber in panels as	4.00	Cum	7777.97	31111.87
sand ) with R.C.C. top slab with 1:15:3 mix (1 cement : 15 coarse sand (20ne-III) : 3 graded stone aggregate 20 mm nominal size), foundation concrete 1:4-8 mix (1 cement : 4 coarse sand (zone-III) : 8 graded stone aggregate 20 mm nominal size), inside plastering 12 mm thick with cement moratr 1:3 (1 cement : 3 coarse sand) finished with floating coat of neat cement and making channels in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), inside with a floating coat of neat cement complete as per standard designifished size 120x90 cm and 90 cm deep including C.L. cover with frame (medium duty) 500 mm internal diameter, total weight of cover and frame to be not less than 116 kg (weight of cover 58 kg and weight of frame 58 kg): With common burnt clay F.P.S. (non modular) bricks of class designation 7.  Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources over 75mm thick bed of dry brick ballast 40 mm nominal size, well rammed and consolidated and grounded with fine sand, including necessary excavation leveling & dressing & finishing the top smooth.  Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.  Semi rigid pipe 32 mm dia  Providing and fixing trap of self cleansing design with screwed down or hinged grating 26 with or without vent arm complete, including cost of cutting and making goodthe walls and floors: 100 mm inlet and 100mm outlet Sand Cast Iron S&S as per 18: 1729.  Providing and fixing trap of self cleansing design with screwed down or hinged grating 26 with or without vent arm complete, including cost of cutting and making goodthe walls and floors: 100 mm inlet and 100mm outlet Sand Cast Iron S&S as per 18: 1729.  Providing and fixing the base support for tank  Providing and fixing tank is 12: 12: 12: 12: 12: 12: 12: 12: 12: 12:	57	sand ) with R.C.C. top slab with 1:1.5:3 mix (1 cement : 1.5 coarse sand (zone-III) : 3 graded stone aggregate 20 mm nominal size), foundation concrete 1:4:8 mix (1 cement : 4 coarse sand (zone-III) : 8 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1 cement : 3 coarse sand) finished with floating coat of neat cement and making channels in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) finished with a floating coat of neat cement complete as per standard designInside size 90x80 cm and 45 cm deep including C.I. cover with frame (light duty) 455x610 mm internal dimensions, total weight of cover and frame to be not less than 38 kg (weight of cover 23 kg and weight of frame 15 kg) :With common burnt clay F.P.S. (non modular) bricks of class designation	5.00	Each	12425.75	62128.73
cement: 3 coarse sand (zone-III) derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from natural sources) over 75mm thick bed of dry brick ballast 40 mm nominal size, well rammed and consolidated and grouted with fine sand, including necessary excavation leveling & dressing & finishing the top smooth.  Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.  Semi rigid pipe 32 mm dia  Providing and fixing trap of self cleansing design with screwed down or hinged grating 26 with or without vent arm complete, including cost of cutting and making goodthe walls and floors: 100 mm inlet and 100mm outlet Sand Cast Iron S&S as per IS: 1729.  Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS: 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank  Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge.  (Cost of aluminium snap beading shall be paid in basic item):  With float glass panes of 4.0 mm thickness (weight not less than 10 kg per sqm) instead of ordinary float glass panes 4 mm thick (weight not less than 10 kg per sqm) ind doors, windows and clerestory window shutters. (Area of opening for glass panes excluding portion inside rebate shall be measured).  Total = 17,02,658.93	58	sand ) with R.C.C. top slab with 1:1.5:3 mix (1 cement : 1.5 coarse sand (zone-III) : 3 graded stone aggregate 20 mm nominal size), foundation concrete 1:4:8 mix (1 cement : 4 coarse sand (zone-III) : 8 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1 cement : 3 coarse sand) finished with floating coat of neat cement and making channels in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) finished with a floating coat of neat cement complete as per standard designInside size 120x90 cm and 90 cm deep including C.I. cover with frame (medium duty) 500 mm internal diameter, total weight of cover and frame to be not less than 116 kg (weight of cover 58 kg and weight of frame 58 kg) :	1.00	Each	25692.55	25692.55
waste fittings complete. Semi rigid pipe 32 mm dia  Providing and fixing trap of self cleansing design with screwed down or hinged grating 26 with or without vent arm complete, including cost of cutting and making goodthe walls and floors:100 mm inlet and 100mm outlet Sand Cast Iron S&S as per IS: 1729.  Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS: 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank  Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item):  With float glass panes of 4.0 mm thickness (weight not less than 10 kg per sqm) instead of ordinary float glass panes 4 mm thick (weight not less than 10 kg per sqm) in doors, windows and clerestory window shutters. (Area of opening for glass panes excluding portion inside rebate shall be measured).  3.00 Each 1638.09 4914.28  2000.00 Litre 10.70 21406.00  Litre 10.70 21406.00  4.20 Sqm 1145.03 4809.11  4.20 Sqm 171.64 720.88	59	cement: 3 coarse sand (zone-III) derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from natural sources) over 75mm thick bed of dry brick ballast 40 mm nominal size, well rammed and consolidated and grouted with fine sand, including necessary	17.50	Sqm	729.07	12758.71
G1 grating 26 with or without vent arm complete, including cost of cutting and making goodthe walls and floors:100 mm inlet and 100mm outlet Sand Cast Iron S&S as per IS: 1729.    Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS: 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank    Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item):   With float glass panes of 4.0 mm thickness (weight not less than 10 kg/sqm)   Extra for providing frosted glass panes 4 mm thick (weight not less than 10 kg per sqm) instead of ordinary float glass panes 4 mm thick (weight not less than 10 kg per sqm) in doors, windows and clerestory window shutters. (Area of opening for glass panes excluding portion inside rebate shall be measured).   Total = 17,02,658.93	60	waste fittings complete.	3.00	Each	101.09	303.28
Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS: 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank  Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item):  With float glass panes of 4.0 mm thickness (weight not less than 10kg/sqm)  Extra for providing frosted glass panes 4 mm thick (weight not less than 10 kg per sqm) instead of ordinary float glass panes 4 mm thick (weight not less than 10 kg per sqm) in doors, windows and clerestory window shutters. (Area of opening for glass panes excluding portion inside rebate shall be measured).  Total = 17,02,658.93	61	grating 26 with or without vent arm complete, including cost of cutting and making goodthe walls and floors: 100 mm inlet and 100mm outlet Sand Cast	3.00	Each	1638.09	4914.28
Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item):  With float glass panes of 4.0 mm thickness (weight not less than 10 kg per sqm) instead of ordinary float glass panes 4 mm thick (weight not less than 10 kg per sqm) in doors, windows and clerestory window shutters. (Area of opening for glass panes excluding portion inside rebate shall be measured).  Total = 17,02,658.93	62	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS: 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow	2000.00	Litre	10.70	21406.00
10 kg per sqm) instead of ordinary float glass panes 4 mm thick (weight not less than 10 kg per sqm) in doors, windows and clerestory window shutters. (Area of opening for glass panes excluding portion inside rebate shall be measured).  Total = 17,02,658.93	63	and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item): With float glass panes of 4.0 mm thickness (weight not less	4.20	Sqm	1145.03	4809.11
Total = 17,02,658.93	64	10 kg per sqm) instead of ordinary float glass panes 4 mm thick (weight not less than 10 kg per sqm) in doors, windows and clerestory window shutters. (Area of opening for glass panes excluding portion inside rebate	4.20	Sqm	171.64	720.88
Say = 17,02,659.00					Total =	17,02,658.93
					Say =	17,02,659.00

#### **PERFORMA FOR QUOTING RATES**

Nam	e of Work: Construction of additional wa	shrooms for patio	ents' attendants	near Vis	hram
Gru	ha of AIIMS, Bhubaneswar.	_			
E NI	T No- AIIMS/BBSR/Engg./016/2025-26				
	IMATE COST PUT TO TENDER- Rs. 17,		Seventeen Lakhs	Two Tho	usand Six
	dred Fifty Nine only)	02,003/ (Itapees 8	seventeen Bunns	I WO I HO	
	TE OF CONTRACTOR-				
1 17 11	E of confidence				
Sr.	Name of component	Estimated cost	Percentage	% in	Total
No.		( <b>Rs.</b> )	above/ below	figures	Cost
			the		(Rs.)
			Total		
			Estimated		
			Cost		
1.	Construction of additional	Rs. 17,02,659/-			
1.	washrooms for patients' attendants	165 17,02,0007			
	•				
	near Vishram Gruha of AIIMS,				
Bhubaneswar.					
Cont	ractor's Quoted Rate in words				
	NOTE: -		1		
	1. The Bidder must submit Financial	Bid in On-Line Mod	le.		

- 2. I/We have gone through the terms & conditions as stipulated in the tender and confirm to accept and abide the same before quoting the rate.
- 3. No other charges would be payable by the Institute
- 4. Quantity mentioned above is tentative, it may increase or decrease as per site requirement.
- 5. Contractor has to bring samples as per above preferred brands only and Engineer-In-Charge shall approve one sample out of the samples brought by the contractor. The contractor has to use material of that approved sample only. No claim in this regard shall be entertained.
- 6. In case of non-availability of material of approved make, prior approval from Engineer-In-Charge shall be obtained for other make.
- 7. The rates quoted should be inclusive of GST as applicable.

I, the contractor certify that I am filling this template after understanding all the items of Schedule of Quantity of e NIT Page No- 20 to 23.

Name:				
Business A	Address:	Signature of the Bidder: -		
Date:				
Place:	Bhubaneswar	Seal of the Bidder		

# <u>DECLARATIONS</u> (TO BE GIVEN BY THE BIDDERS)

# It is to certify that: -

website of CPWD/ https://epro	gh GCC- Construction 2023 of CPWD up to latest correction as available ocure.gov.in/eprocure/app / www.aiimsbhubaneswar.nic.in or in the We agree with the terms and conditions of it and understood that it was a superior of the conditions of the conditions of it and understood that it was a superior of the conditions	office of
Zone, Odisha. In case at any sta		MS Civi
another contractor on back to be Department, then I/We shall b comes to the notice of AIIMS,	confirm that eligible similar Work(s) has/have not been got executed back basis. Further, it is stated that, if such a violation comes to the redebarred for bidding in AIIMS in future forever. Also, if such a Bhubaneswar before date of start of work, the Executive Engineer (Circunt of Performance Guarantee".	notice of violation
Date:	Signature of the Tenderer	
<u>NOTE</u> : - (To be certified by a directors in case of companies)	all the partners in case of partnership firms, by all the	

### Annexure`B'

# FORM FOR DETAILED INFORMATION BY BIDDER

Name of Firm/Contractor/Supplier	:
Complete Address and Telephone Number	:
Name of Proprietor/Partner/Managing Director/Director	:
Phone Number	:
Mobile Number	:
e-Mail ID	:
Name and address of service center nearby Bhubaneswar	:
Whether the firm is a registered Firm (Yes/No. Attach Copy of Certificate)	:
PAN Number. (enclose the attested copy of PAN Card)	:
Service Tax Number. (enclose the attested copy of VAT Certificate)	:
GST Number (enclose the attested copy of VAT Certificate)	:
Whether the firm has Uploaded the Bank Draft/Pay Order/Banker's Cheque of Earnest Money Deposit (EMD).	:
EPF No. (Enclose the attested copy of EPF Registration Certificate)	:
ESI Code.	:
Any other information, if necessary.	:

(Authorized Signature of the Bidder with Seal)

#### **AFFIDAVIT**

### (To be Submitted on Notarized Non Judicial Stamp Paper of Rs 10/- or above)

e-Tender for the Work of "Construction of additional washrooms for patients' attendants near Vishram Gruha of AIIMS, Bhubaneswar."

#### To be submitted online by:

(a) Time and date of online Opening of Bids. : 18/12/2025 at 1600 Hours.

(b) Time and date of opening of Online Financial Bids. : <u>To be intimated later through website</u>.

TENDER

I/We have read and examined the notice inviting tender, schedule along with Annexure `A' to `F' as per Specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, Clauses of Contract, Special Conditions, Schedule of Rate & other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

If I/We, fail to furnish the prescribed Performance Guarantee within prescribed period, I/We agree that the said Executive Director, AIIMS, Bhubaneswar or his successors, in office shall without prejudice to any other right or remedy, be at liberty to debar me for 01 (One) year. Further, if I/We fail to commence work as specified, I/We agree that Executive Director, AIIMS, Bhubaneswar or the successors in office shall without prejudice to any other right or remedy available in law, be at liberty to suspend me for one year. The said performance guarantee shall be a guarantee to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to those in excess of that limit at the rates to be determined in accordance with the provision contained in the tender form. Further, I/We agree that in case of non-submission of Performance Guarantee as aforesaid, I/We shall be debarred for participation for one year in the tendering process of the work and EMD will be forfeited.

I/We undertake and confirm that eligible similar work(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of AIIMS, Bhubaneswar, then I/We shall be debarred for tendering in AIIMS, Bhubaneswar in future forever. Also, if such a violation comes to the notice of AIIMS, Bhubaneswar before date of start of work, the Administrative Officer shall be free to forfeit the entire amount of Performance Guarantee.

If after opening of the tender, I/We withdraw or modify my/our bid during the period of validity of tender (including extended validity of the tender) specified in the tender documents, My/Our bid shall be rejected and I/We shall be suspended for One year and shall not be eligible to bid for AIIMS Tender from the date of issue of the suspension order till the completion of suspension period.

I/We hereby declare that I/We shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived there from to any person other than a person to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the State.

Dated: *	Signature of Contractor
	with full Postal Address
Witness: *	
	Address: *
Occupation: *	(* To be filled in by the Contractor.)

#### **AFFIDAVIT**

### (To be Submitted on Notarized Non Judicial Stamp Paper of Rs 10/- or above)

I/We hereby certify that; the above firm has not been ever blacklisted by any Central/State Government/Public Undertaking/Institute on any account.

I/We also certify that, Firm will supply the item(s) as per the specification given by Institution and also abide all the Terms & Conditions stipulated in Tender.

I/We also certify that, the information given in Bid is true and correct in all aspects and in any case at a later date, it is found that any details provided are false and incorrect, any contract given to the concerned firm or participation may be summarily terminated at any state, the firm will be blacklisted and Institute may impose any action as per e-NIT Rules.

Business Address:-	Name:
	(Signature of Bidder with Firm's Seal)
Place:	Dated:

# FORM OF PERFOMANCE SECURITY (GUARANTEE)

1. In consideration of the Executive Director, AIIMS, Bhubaneswar (hereinafter called "the Government ") having offered to accept the terms and conditions of the proposed agreement between and
(hereinafter called "the said Contractor(s)") for the work
(hereinafter called "the said agreement}" having agreed to production of a
irrevocable Bank Guarantee for Rs (Rupees only) as a security/ guarantee from the
contractor(s) for compliance of his obligation in accordance with the terms and conditions in the said agreement.
I/We(hereinafter referred to as Bank) hereby (Indicate the name of the Bank)
undertake to pay to the Government an amount not exceeding Rs (Rupees
only) on demand by Government .
2 I/Wa do haraby undertake to pay the (Indicate the name of the Rank) amount due
2. I/We do hereby undertake to pay the (Indicate the name of the Bank) amount due and payable under this Guarantee without any demur, merely on a demand from the Government stating that the amount
claimed is required to meet the recoveries due or likely to be due from the said contractor (s). Any such demand made on the
Bank shall be conclusive as regards the amount due and payable by the bank under this Guarantee. However, our liability
under this guarantee shall be restricted to an amount not exceeding Rs(Rupeesonly).
¿ v
3. I/We the said bank undertake to pay to the Government any money so demanded notwithstanding any dispute or
disputes raised by the contractor (s) in any suit or proceeding pending before any court or Tribunal relating thereto, our
liability under this present being absolute and unequivocal.
4. The payment so made by us under this bond shall be valid discharge of our liability for payment there under
and the contractor (s) shall have no claim against us for making such payment.
and the contractor (8) share have no claim against as for making such payment.
5. I/We further agree that the guarantee herein contained (Indicate the name of Bank)
shall remain in full force and effect during the period that would be taken for the performance of the said agreement
and it shall continue to be enforceable till all the dues of the Government under or by virtue of the said agreement have
been fully paid, and its claims satisfied or discharged, or till Engineer-in- charge on behalf of the Government, certifies that the
terms and conditions of the said Agreement have been fully and properly carried out be the said contractor (s) accordingly
discharges this guarantee.
6. I/We further agree with the Government that the (Indicate the name of Bank)
6. I/We further agree with the Government that the (Indicate the name of Bank)
Government shall have the fullest liberty without our consent, and without affecting in any manner our obligations hereunder, to vary any of the terms and conditions of the said agreement or to extend time of performance by the said
contractor (s) from time to time or to postpone for any time or from time to time any of the powers exercisable by the
Government against the said contractor (s) and to forebear or enforce any of the terms and conditions relating to the said
agreement & we shall not be relieved from our liability by reasons of any such variation or extension being granted to the said
contractor (s) or for any forbearance, act of omission on that part of the Government or any indulgence by the Government to
the said contractor (s) or by any such matter or thing whatsoever which under the law relating to sureties would, but for this
provision, have effect of so relieving us.
7. The guarantee will not be discharged due to the change in the constitution of the Bank or the contractor (s).
8. We lastly undertake not to revoke this (Indicate the name of Bank) guarantee
8. We lastly undertake not to revoke this (Indicate the name of Bank) guarantee except with the previous consent of the Government in writing.
9. This Guarantee shall valid up to unless extended on demand by Government, notwithstanding
anything mentioned above, our liability against this Guarantee is restricted to Rs (Rupees
only) and unless a claim in writing is lodged with us within six months of the date of expiry or the
extended date of expiry of this Guarantee all our liabilities under the Guarantee shall stand discharged.
Dated the day of for
(Indicate the name of Bank)

### **INTEGRITY PACT** (Specimen)

#### (To be Submitted on Non Judicial Stamp Paper of Rs 100/- or above)

This Agreement is made at <u>Bhubaneswar</u> on this (day) of(Month) 20
BETWEEN
Executive Director, AIIMS, Bhubaneswar represented through Executive Engineer(civil), AIIMS BHUBANESWAR (hereinafter referred as the) (Address) " <b>Principal/Owner</b> ", which expression sha unless repugnant to the meaning or context hereof include its success or sand permitted as signs)
AND
Individual/firm/Company) through
WHEREAS, the Principal/Owner has floated the Tender (e-NIT No. <u>AIIMS/BBSR/Engg./016/2025-26</u> (herein after refer red to as "Tender/Bid") and intends to award, under laid down organizations procedure, contract for "Construction of additional washrooms for patients' attendants near Vishram Gruha of AIIMS, Bhubaneswar." hereinafter referred to as the "Contract".
<b>AND</b> WHEREAS the Principal/Owner values full compliance with all relevant laws of the Land, Rule & Regulations, Economic use of resources and of fairness/ transparency in its relation with its Bidder(s and Contractor(s).
<b>AND</b> WHEREAS to meet the purpose afore said both the parties have agreed to enter to this Agreement (hereinafter referred to as " <b>Pact</b> "), the terms and conditions of which shall also be read as integral part and parcel of the Tender/Bid documents and Contract between the parties.
The Tendered Value which has been accepted by Competent Authority for "Construction of additional washrooms for patients' attendants near Vishram Gruha of AIIMS, Bhubaneswar."
is <b>Rs</b> only).
NOW, THEREFORE, inconsideration of mutual covenants contained in this Pact, the partie hereby agree as follows and this Pact witnesses as under: -
Article - 1 : Commitment of the Principal/Owner.
1. The Principal/Owner commit itself to take all measures necessary to prevent corruption and tobserve the following principles:
(a) No employee of the Principal/Owner, personally or through any of his/her family members will in connection with the Tender, or the execution of the Contract, demand, take a promise for accept, for self or third person, any material or immaterial benefit which the person is not legall

The Principal/Owner will, during the Tender process, treat all Bidder(s) with equity and

reason. The Principal/Owner will, in particular, before and during the Tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential/additional information through which the Bidder(s) could obtain an advantage in relation to the Tender

entitled to.

(b)

- (c) The Principal/Owner shall endeavor to exclude from the Tender process any person, whose conduct in the past has been of biased nature.
- 2. If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal Code (IPC)/Prevention of Corruption Act,1988 (P C Act) or is in violation of the principles herein mentioned or if there be a substantive suspicion in this regard, the Principal/Owner will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.

#### **Article - 2 : Commitment of the Bidder(s)/Contractor(s)**

- 1. It is required that each Bidder/Contractor (including their respective officers, employees and agents) adhere to the highest ethical standard and makes, and report to the Government/Department all suspected acts of **fraud or corruption or Coercion or Collusion** of which it has knowledge or becomes aware, during the tendering process and throughout the negotiation or award of a contract.
- 2. The Bidder(s)/Contractor(s) commit himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the Tender process and during the Contract execution: -
  - (a) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal/Owner's employees involved in the Tender process or execution of the Contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind what so ever during the Tender process or during the execution of the Contract.
  - (b) The Bidder(s)/Contractor(s) will not enter with other Bidder(s) into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to cartelize in the bidding process.
  - (c) The Bidder(s)/Contractor(s) will not commit any offence under the relevant IPC/PC Act. Further the Bidder(s)/Contract(s) will not use improperly, (for the purpose of competition or personal gain), or passion to others, any information or documents provided by the Principal/Owner as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
  - (d) The Bidder(s)/Contractor(s) of foreign origin shall disclose the names and addresses of agents/representatives in India, if any. Similarly, Bidder(s)/Contractor(s) of Indian Nationality shall disclose names and addresses of foreign agents/representatives, if any. Either the Indian agent on behalf of the foreign principal or the foreign principal directly could bid in a tender but not both. Further, in cases where an agent participates in a tender on behalf of one manufacturer, he shall not be allowed to quote on behalf of another manufacturer along with the first manufacturer in a subsequent/parallel tender for the same item.
  - (e) The Bidder(s)/Contractor(s) will, when presenting his bid, disclose any and all payments he has made, is committed to, or intends to make to agents, brokers or any other intermediaries in connection with the award of the Contract.
- 3. The Bidder(s)/Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.
- 4. The Bidder(s)/Contractor(s) will not, directly or through any other person or firm indulge in fraudulent practice means a willful misrepresentation or omission of facts or submission of fake/forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of others and/or to influence the procurement process to the detriment of the Government interests.
- 5. The Bidder(s)/Contractor(s) will not, directly or through any other person or firm use Coercive Practices (means the act of obtaining something, compelling an action or influencing a decision through intimidation, threat or the use of force directly or indirectly, where potential or actual injury may be fall upon a person, his/her reputation or property to influence their participation in the tendering process).

#### **Article - 3: Consequences of Breach.**

Without prejudice to any rights that may be available to the Principal/Owner under law or the Contract or its established policies and laid down procedures, the Principal/Owner shall have the following rights in case of breach of this Integrity Pact by the Bidder(s)/Contractor(s) and the Bidder/Contractor accepts and undertakes to respect and uphold the Principal/Owner's absolute right:-

- 1. If the Bidder(s)/Contractor(s), either before award or during execution of Contract has committed a transgression through a violation of Article-2 above or in any other form, such as to put his reliability or credibility in question, the Principal/Owner after giving 14 days' notice to the contractor shall have powers to disqualify the Bidder(s)/Contractor(s) from the Tender process or terminate/determine the Contract, if already executed or exclude the Bidder/Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of transgression and determined by the Principal/Owner. Such exclusion may before vigor for a limited period as decided by the Principal/Owner.
- 2. **Forfeiture of EMD/Performance Guarantee/Security Deposit**: If the Principal/Owner has disqualified the Bidder(s) from the Tender process prior to the award of the Contract or terminated/determined the Contractor has accrued the right to terminate/determine the Contract according to Article-3(1), the Principal/Owner apart from exercising any legal rights that may have accrued to the Principal/Owner, may in its considered opinion forfeit the entire amount of Performance Guarantee and Security Deposit of the Bidder/Contractor.
  - 1. **Criminal Liability:** If the Principal/Owner obtains knowledge of conduct of a Bidder or Contractor, or of an employee or a representative or an associate of a Bidder or Contractor which constitutes corruption within the meaning of IPC Act, or if the Principal/Owner has substantive suspicion in this regard, the Principal/Owner will inform the same to law enforcing agencies for further investigation.

#### **Article - 4: Previous Transgression.**

- 1. The Bidder declares that no previous transgressions occurred in the last 05 years with any other Company in any country confirming to the anticorruption approach or with Central Government or State Government or any other Central/State Public Sector Enterprises in India that could justify his exclusion from the Tender process.
- 2. If the Bidder makes incorrect statement on this subject, he can be disqualified from the Tender processor action can be taken for banning of business dealings/holiday listing of the Bidder/Contractor as deemed fit by the Principal/Owner.
- 3. If the Bidder/Contractor can prove that he has resorted/recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/ Owner may, at its own discretion, revoke the exclusion prematurely.

#### Article - 5 : Equal Treatment of all Bidders/Contractors/Sub-contractors.

- 1. The Bidder(s)/Contractor(s) undertake(s) to demand from all sub-contractors a commitment in conformity with this Pact. The Bidder/Contractor shall be responsible for any violation(s) of the principles laid down in this agreement/Pact by any of its Sub-contractors/sub-vendors.
- 2. The Principal/Owner will enter in to Pacts on identical terms as this one with all Bidders and Contractors.

3. The Principal/Owner will disqualify Bidders, who do not submit, the duly signed Pact between the Principal/Owner and the bidder, along with the Tender or violate its provisions at any stage of the Tender process, from the Tender process.

#### **Article - 6: Duration of the Pact.**

- 1. This Pact begins when both the parties have legally sign edit. It expires for the Contractor/Vendor 12 months after the completion of work under the contractor till the continuation of defect liability period, whichever is more and for all other bidders, till the Contract has been awarded.
- 2. If any claim is made/lodged during the time, the same shall be binding and continue to be valid despite the lapse of this Pacts as specified above, unless it is discharged/determined by the Competent Authority, AIIMS, Bhubaneswar.

#### **Article - 7: Other Provisions.**

- 1. This Pact is subject to Indian Law, place of performance and jurisdiction is the **Bhubaneswar** of the Principal/Owner, who has floated the Tender.
- 2. Changes and supplements need to be made in writing. Side agreements have not been made.
- 3. If the Contractor is a partnership or a consortium, this Pact must be signed by all the partners or by one or more partner holding power of attorney signed by all partners and consortium members. In case of a Company, the Pact must be signed by a representative duly authorized by board resolution.
- 4. Should one or several provisions of this Pact turnout to be invalid; the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intensions.
- 5. It is agreed term and condition that any dispute or difference arising between the parties with regard to the terms of this Agreement/Pact, any action taken by the Owner/Principal in accordance with this Agreement/Pact or interpretation thereof shall not be subject to arbitration.

#### **Article - 8: LEGAL AND PRIOR RIGHTS.**

All rights and remedies of the parties hereto shall be in addition to all the other legal rights and remedies belonging to such parties under the Contract and/or law and the same shall be deemed to be cumulative and not alternative to such legal rights and remedies aforesaid. For the sake of brevity, both the Parties agree that this Integrity Pact will have precedence over the Tender/Contact documents with regard any of the provisions covered under this Pact.

IN WITNESS WHEREOF the parties have signed and executed this Pact at the place and date first above mentioned in the presence of following witnesses: -

(For and on behalf of Principal/Owner)	(For and on behalf of Bidder/Contractor)
WITNESSES:	
(Signature, Name and address)	(Signature, Name and address)
Dotad .	Dotad
Dated:	Dated:
Place: Bhubaneswar	Place: Bhubaneswar