



All India Institute of Medical Sciences, Bhubaneswar
At - Sijua (Patrapada), Post - Dumuduma, Bhubaneswar (Odisha) - 751 019

To be uploaded in Website: www.aiimsbhubaneswar.edu.in (Tender)

Reference No: AIIMS/BBSR/MB/10/BB/VOL-2

Dated: 07/09/2021

Sub: Procurement of 01 no. of Twist Amp Basic kit 96 test & Twist Dx Basic RPA Primers (05 sets) (Make: TwistDx, Abbot House UK) for the department of Microbiology (Project) at AIIMS, BBSR on Proprietary basis - Inviting Comments thereon.

The user section at AIIMS, Bhubaneswar has requested for Procurement of 01 no. of Twist Amp Basic kit 96 test & Twist Dx Basic RPA Primers (05 sets) (Make: TwistDx, Abbot House UK) from M/s. TwistDx, Abbott House, Maidenhead, UK through their authorized Indian distributor M/s. Biolinkk, Karol Bagh, New Delhi- 110005

The Notice is being uploaded for general information of prospective manufacturer/Authorized Distributor/Dealers to submit their objection/proposal/comments, if any, on proprietorship of the item.

In case the product of any manufacturer/Authorized distributor/Dealer conforms to the enclosed specifications, they may submit their proposal for the supply of the same along with the brochures, point by point compliance of the enclosed specifications along with all documentary evidence. One quotation of the product may also be submitted.

The objections/comments/proposal should be sent in sealed cover to the Office of Sr. Procurement Cum Stores Officer, AIIMS, Bhubaneswar (Odisha) – 751019 or through e-mail to aso.rnpattnaik@aiimsbhubaneswar.edu.in & jao_rohit@aiimsbhubaneswar.edu.in so as to reach on or before **date: 22-09-2021** failing which it will be presumed that no other firm is interested to offer comments/protest/object and case will be decided on its merits.

Procurement OF ITEMS/ SERVICES THROUGH NON-GEM

Para – As per the Circular No. F.6/182019-PPD issued by Ministry of Finance, Dept of Expenditure dated 23 Jan 20 regarding procurement of goods/ services through Non-GeM, bidders are required to submit documents for the same.

Bidders to submit the GeM registration details that they are already registered in GeM as the category of the product is not available in GeM, they are not able to participate in it. It is mandatory to submit the relevant documents as supporting evidence.

An undertaking also to be given in company letter head that “Such already registered suppliers should be boarded on GeM as and when the item or service gets listed on GeM”.

The ref. no.– **AIIMS/BBSR/MB/10/BB/VOL-2**, dt: **07-09-2021**, due on dated: **22-09-2021** should be superscripted on sealed envelope.

Sr. Procurement-cum-Stores Officer



All India Institute of Medical Sciences, Bhubaneswar
At - Sijua (Patrapada), Post - Dumuduma, Bhubaneswar (Odisha) - 751 019

Enclosure:

1. Proprietary Article Certificate from Indenting Officer of Department of Microbiology, AIIMS, Bhubaneswar. **Annexure-I, II**
2. PAC of M/s. TwistDx, Abbott House, UK. **Annexure-III**
3. Latest Price Quotation of M/s. Biolinkk, Karol Bagh, New Delhi-110005. - **Annexure IV, V**
4. OEM authorization Certificate - **Annexure-VI**
5. GeM Certificate- **Annexure-VII, VIII**

Copy to: -

- | | | |
|------------------------------------|---|------------------------------|
| 1. Indenting Officer, Microbiology | : | for information please |
| 2. Accounts Officer | : | for information please |
| 3. IT Cell | : | for hoisting in the website. |

Sr. Procurement-cum-Stores Officer

AIIMS, BHUBANESWAR

28

Proprietary Article Certificate
Valid for the Current Financial Year

File No. and Date Reference :		
1	Description of article	Twist Amp Basic Kit 96 T
2	Forecast of quantity /annual requirement	Approx 1 kit
3	Approximate estimated value for above quantity	56,910
4	Maker's name and address	Twist Dx, 4 bott House, UK
5	Name(s) of authorized dealers/ stockists	Biolenkk
6	I approve the above purchase on PAC basis and certify that : - Note- Tick to retain only one out of (b), C-1) or (c-2) whichever is applicable and cross out others. Please do confirm (a) by ticking it - without which PAC certificate will be invalid.	
6 (a)	This is the only firm who is manufacturing / stocking this item. AND	Yes
6 (b)	A Similar article is not manufactured / sold by any other firm, which could be used in lieu OR	Yes ✓
6 (c-1)	No other make/brand will be suitable for following tangible reasons (like OEM/ Warranty, spares.) : OR	Yes ✓
6 (c)	No other make/brand will be suitable for following intangible reasons (if PAC was also given in the last procurement cycle, please also bring out efforts made since then to locate more sources) : OR	PAC Item
7	Reference of concurrence of finance wing to the proposal :	
History of PAC Purchase of this item for past three years may be given below :		
Name of the Supplier <u>Biolenkk</u>		
Order/ Tender Reference & Date	Quantity Ordered	Basic Rate on Order (Rs.)

Bijayini Bal
Signature of the Indenting Officer

Signature of Approving Authority.....

8/6/21

Date..... Designation of Officer.....

AIIMS, BHUBANESWAR

8

Proprietary Article Certificate
Valid for the Current Financial Year

File No. and Date Reference :		
1	Description of article	Basic RPA Primers
2	Forecast of quantity /annual requirement	1 each
3	Approximate estimated value for above quantity	33,949
4	Maker's name and address	West Dx Marketed by
5	Name(s) of authorized dealers/ stockists	Biolink, New Delhi
6	I approve the above purchase on PAC basis and certify that : - Note- Tick to retain only one out of (b), C-1) or (c-2) whichever is applicable and cross out others. Please do confirm (a) by ticking it - without which PAC certificate will be invalid.	
6 (a)	This is the only firm who is manufacturing / stocking this item. AND	✓
6 (b)	A Similar article is not manufactured / sold by any other firm, which could be used in lieu OR	✓ the Par attached
6 (c-1)	No other make/brand will be suitable for following tangible reasons (like OEM/ Warranty, spares.): OR The primers used are for RPA in unique and compatible with the master mix by the same company.	Par attached
6 (c)	No other make/brand will be suitable for following intangible reasons (if PAC was also given in the last procurement cycle, please also bring out efforts made since then to locate more sources): OR The primers used for RPA in unique and compatible with the master mix by the same company.	Par attached
7	Reference of concurrence of finance wing to the proposal:	
History of PAC Purchase of this item for past three years may be given below :		
Name of the Supplier		
Biolink New Delhi		
Order/ Tender Reference & Date	Quantity Ordered	Basic Rate on Order (Rs.)

Signature of the Indenting Officer *Bijayini Behra*

Signature of Approving Authority.....

Date..... Designation of Officer.....

Dr. Bijayini Behra
11/6/21
ME
Associate Professor
Department of Microbiology
AIIMS, Bhubaneswar-75101

19th February 2018

TwistDx Limited - Head Office
Minerva Building
Babraham Research Campus
Babraham, Cambridge CB22 3AT
T: +44 (0)1223 496700
F: +44 (0)1223 496705
E: info@twistdx.co.uk
www.twistdx.co.uk

TO WHOM IT MAY CONCERN

Dear Sir or Madam

Ref; **TwistDx Products – Proprietary Certificate**

We, the undersigned a Company whose registered office is at Minerva Building, Babraham Research Campus, Babraham, Cambridge CB22 3AT UK are the sole provider and manufacturer on our TwistAmp products, as shown on our website; www.twistdx.co.uk which are used for Research and Development purposes only.

If you require any further information, please feel free to contact me at your convenience.

Kind regards



Tony Hill
Commercial Director



Dr. Bijayini Behera
ME
Associate Professor
Department of Microbiology
AIIMS, Bhubaneswar-751016



BIOLINKK

Durga Chamber, Building No: 1333, 4th Floor, Office No: 412,

Des Bandhu Gupta Road, New Delhi-110005

Phone No : 011-45035753/011-28753658

Email ID: customerservice@biolinkk.com., website: www.biolinkk.com

QUOTATION

No	Date
BK/21-22/33673	04.06.2021

Name of the Customer	Enquiry No/Date	Customer Particulars
To Dr Bijayini Behera Associate Professor Department of Microbiology All India Institute of Medical Sciences [AIIMS], Bhubaneswar, Odisha.751019	By Email Mode of Dispatch By Courier	Contact number 07750847562 Email: drbinny2004@gmail.com

Cat No	Description	Qty	List Price (Rs)	Offer Price (Rs)	Total Price (Rs)
TABAS03KIT	TwistAmp® Basic Kit 96 T	1	56,000.00	53,200.00	53,200.00
				Total Amount	53,200.00
				Freight Charges	1,000.00
				Total	54,200.00
				IGST@5%	2,710.00
				Against DSIR	
				Total	56,910.00

Terms & Conditions: -

- 1) Validity of this quote is 30 Days
- 2) Payment : Against Delivery
- 3) Delivery Time : 2 Weeks
- 4) We have quoted it in INR (Rs.)

Our Bank Details

Name of the Bank : Punjab National Bank
Address 10 West Patel Nagar, New Delhi-110008
Type of Account : Current Account
Account No: 0604002100065815
IFSC Code : PUNB0060400
MICR Code : 110024078

Looking forward to your valuable order

Thanking you

Authorized Signatory

BIOLINKK
Building No: 1333, 4th Floor, Office No: 412, Durga Chamber, Desh Bandhu Gupta Road, Karol Bagh New Delhi-110005 (India)
Room No: 412, 4th Floor, Desh Bandhu Gupta Road, Karol Bagh New Delhi-110005 (India)
Representing for : Southern Biotech (Secondary Antibodies), Socorex (Swiss Pipette), Epigentek (DNA Methylation), Molecular Research Center (HPLC reagent), Assay Pro (Elisa Kits), USCN (Elisa Kits), Biolinkk (ILN2 container), Biolinkk (Purification Kits & Mol Bio Reagent), Biolinkk (Transilluminator, Water Bath, Centrifuge), US Biological (Antibody), Prospeck Tany (Cytokines)
Telefax : +91 - 45035753, Email : customerservice@biolinkk.com, biolinkk@gmail.com
Web : www.biolinkk.com

Bijayini Behera

Dr. Bijayini Behera
Associate Professor
Department of Microbiology
AIIMS, Bhubaneswar-751019



Durga Chamber, Building No: 1333, 4th Floor, Office No: 412,
Des Bandhu Gupta Road, New Delhi-110005
email: customerservice@biolinkk.com, website: www.biolinkk.com

Quotation

To
Dr Bijayini Behera
Associate Professor
Department of Microbiology
All India Institute of Medical Sciences [AIIMS], Bhubaneswar, Odisha.751019
Contact number 07750847562
ORCID ID: 0000-0002-4123-7990

PI No	BK/21-22/33735
PI Dt	11.06.2021
Enq. No.	Nil
Enq. Date	Nil
Payment	30 Days Net Payment
Validity	30 Days
Delivery	6-8 weeks
PO In	BIOLINKK
Favor Of	Durga Chamber, Building No: 1333, 4th Floor, Office No: 412, Des Bandhu Gupta Road, New Delhi-110005
Our GST No:	07AAHFB7021M1ZE

S. No.	Cat. No.	Description	Qty	Unit Price (Rs)	Offer Price (Rs)	Total Amount (Rs.)	IGST	IGST (Rs.)	Total Amount (Rs.)
3	PP-2	Primer, (with probe purchase) Salt-Free (up to 30 bases each) 200 nmol	1	2240.00	2016.00	2016.00	5%	100.80	2116.80
4	PP-2	Primer, (with probe purchase) Salt-Free (up to 30 bases each) 200 nmol	1	2240.00	2016.00	2016.00	5%	100.80	2116.80
5	P1-2	Primer, 33 Bases, Salt-Free 200 nmol	1	4200.00	3780.00	3780.00	5%	189.00	3969.00
6	P1-2	Primer, 33 Bases, Salt-Free 200 nmol	1	4200.00	3780.00	3780.00	5%	189.00	3969.00
7	P1-2	Primer, 34 Bases, Salt-Free 200 nmol	1	4480.00	4032.00	4032.00	5%	201.60	4233.60
8	P1-2	Primer, 33 Bases, Salt-Free 200 nmol	1	4200.00	3780.00	3780.00	5%	189.00	3969.00
9	P1-2	Primer, 30 Bases, Salt-Free 200 nmol	1	3360.00	3024.00	3024.00	5%	151.20	3175.20
10	P1-2	Primer, 30 Bases, Salt-Free 200 nmol	1	3360.00	3024.00	3024.00	5%	151.20	3175.20
11	P1-2	Primer, 30 Bases, Salt-Free 200 nmol	1	3360.00	3024.00	3024.00	5%	151.20	3175.20
12	P1-2	Primer, 31 Bases, Salt-Free 200 nmol	1	4284.00	3856.00	3856.00	5%	192.80	4048.80

GST@5% applicable against DSIR Certificate strictly at the time of supply order.

Round Off 0.4
Total Amount in Rs. 33,949.00

Thanking You

Auth. Signatory

BIOLINKK
Durga Chamber, Building No: 1333, 4th Floor,
Des Bandhu Gupta Road, New Delhi-110005
Representing for:
Southern Biotech (Secondary Antibodies), Socorex (Swiss Pipette), Epigentek (DNA Methylation), Molecular Research Center (Taq reagent), Assay Pro (ELISA Kits), USCN (ELISA Kits), Biolinkk (H₂O₂ container), Biolinkk (Purification Kits & Mol Bio Reagent), Biolinkk (Transilluminator, Water Bath, Centrifuge), US Biological (Antibody), Prosperi Tany (Cytostones)

Bijayini Behera

Dr. Bijayini Behera
Associate Professor
Department of Microbiology
All India Institute of Medical Sciences [AIIMS], Bhubaneswar, Odisha.751019

Abbott House
Vanwall Business Park
Vanwall Road
Maidenhead
SL6 4XE

T +44(0)1223 225317

E info@twistdx.co.uk
www.twistdx.co.uk


2nd December 2020

To whom it may concern


We, the undersigned, a company incorporated and registered in England and Wales with company number 04523987 and a registered office at Abbott House, Vanwall Business Park, Vanwall Road, Maidenhead, SL6 4XE United Kingdom, have permitted Biolinkk, Building No.1333, Room No.412, 4th Floor, Durga Chamber, D. B. Gupta Road, Karol Bagn, New Delhi-110005, India, to resell, on a non-exclusive basis, certain TwistDx products only to end users in India and only for such end users' non-commercial internal research purposes.

Biolinkk is authorized to import into India and distribute only to end users in India any TwistDx Limited products shown on www.twistdx.co.uk and only for such end users' non-commercial internal research purposes. Such products are shipped in kits that leave TwistDx Limited premises subject to restrictions on use. Biolinkk will be responsible for meeting all applicable legal requirements in India.

Yours faithfully



Ruth Powell
Managing Director,
TwistDx Limited



Dr. Bijayini Behera
MD
Associate Professor
Department of Microbiology
Bhubaneswar-751019



Report ID: GEM/GARPTS/17082021/O26ZC7NIO5C0

Report Name: Twist Amp Basic kit

Generated By: RABI NARAYAN PATTANAYAK, Department of Health and Family Welfare, Ministry of Health and Family Welfare

Generated On: 17/08/2021

Valid Till: 16/09/2021

GeM Availability Report and Past Transaction Summary

GeM Availability Report and past transaction summary report is generated based on the specifications searched by the Buyer. The specification may be modified appropriately for searching relevant categories on GeM. Buyer may navigate to GeM category page by clicking on the category link to view category specifications and products/services available in the category.

Order Count and Order Value displayed is on a cumulative basis since GeM inception.

1. Search String: Twist Amp Basic kit

Search type: Product

1. There are categories available on GeM matching your requirements (as listed here). You can create a bid on GeM with a product closest matching your required specifications and add additional parameters in specifications through Corrigendum using RMS functionality.
2. If you feel that category TP needs updating you can submit category updating request also through RMS.
3. If you do not want to use any of the above option and want to proceed for procurement outside GeM, please suggest the specifications of the required product for creation of new category on GeM for future procurement.

Search Result: Category available/suggested on GeM but marked as "not matching requirements" by the buyer with undertaking as under:

It is certified that I have thoroughly checked all probable categories suggested by GeM and I am satisfied that the product required is not covered / does not fall in any of the suggested categories and cannot be procured under any of these categories even after inclusion of List of Values (LOV) wherever possible in category specifications of suggested categories. It is also certified that the technical specification requirement are such that these can not be covered even by adding specification parameters using ATC in any of the GeM suggested categories. This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Not available on

GeM

Bijayini Behera, MD
Bijayini Behera, MD
Additional Professor
Department of Microbiology
IIMS, Bhubaneswar

Category Name	Catalog Count	Order Count			Order Value (in Lakhs)		
		Direct Purchase	Reverse Auction	Bid	Direct Purchase	Reverse Auction	Total
Veterinary Periodontal Instrument or Surgery Basic Kit	2	3	0	0	0	0	0
Medical Training kit with Human mannequins for medical education or training	1,242	1,617	18	140	753	10	275
PCR Amplification KIT	2	3	0	0	0	0	0
Haemostatic Gauze (Chitosan)	44	144	1	18	126	0	77
Ethanol-100 (5/10 ampules/kit)	0	0	0	0	0	0	0
Network Theorem Kit For Educational Purpose	3,259	6,687	23	157	2,492	24	233
Two Port Nework Trainer Kit For Educational Purpose	1,959	1,831	0	33	735	0	22

Dr. S. Srinivasan
Additional Professor
Department of Microbiology
VIMS, Guwahati



23

Report ID: GEM/GARPTS/17082021/MQR49K7F55CH

Report Name: Twist Dx Basic RPA primers

Generated By: RABI NARAYAN PATTANAYAK, Department of Health and Family Welfare, Ministry of Health and Family Welfare

Generated On: 17/08/2021

Valid till: 16/09/2021

GeM Availability Report and Past Transaction Summary

GeM Availability Report and past transaction summary report is generated based on the specifications searched by the Buyer. The specification may be modified appropriately for searching relevant categories on GeM. Buyer may navigate to GeM category page by clicking on the category link to view category specifications and products/services available in the category.

Order Count and Order Value displayed is on a cumulative basis since GeM inception.

1. Search String: Twist Dx Basic RPA primers

Search type: Product

Search Result: Category not available on GeM for the text string searched by the buyer.

This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeM RPTS.

not available
on GeM

Bijayini
Behera

Jr. Bijayini Behera, MD
Additional Professor
Department of Microbiology
AIIMS, Bhubaneswar