

अखिल भारतीय आयुर्विज्ञान संस्थान, भुवनेश्वर

All India Institute of Medical Sciences, Bhubaneswar

Invitation of Quotation

For

Dental Consumables and Disposables [Total Twenty One (21) Items]

Issue Date : 03rd June, 2022

Inquiry No. : AIIMSBBBSR/S&P/LPC/05/2022-23

Last Date of Submission : 10th June, 2022 at 03:00 PM.



अखिल भारतीय आयुर्विज्ञान संस्थान, भुवनेश्वर
All India Institute of Medical Sciences, Bhubaneswar
स्वास्थ्य एवं परिवार कल्याण मंत्रालय, भारत सरकार के तत्वावधान में एक सांविधिक निकाय
(A statutory body under aegis of Ministry of Health and Family Welfare, Govt of India)
सिजूआ, डाक:- डुमुडुमा, भुवनेश्वर – 751019
Sijua, Post: Dumuduma, Bhubaneswar – 751019

Invitation of Quotation

Best Competitive rates are invited through Sealed Quotations for supply of Dental Consumables and Disposable – Total Twenty One (21) items.

The filled quotations in **sealed envelope** along with all required document as per the terms and conditions mentioned below must reach at **Helpdesk, Dept. of Store & Procurement, Room No.- 130,1st Floor, Academic Block, AIIMS-Bhubaneswar** on or before **10-06-2022,15.00 hrs.**

Terms & Conditions:

1. Only Sealed Quotation will be considered. The Quotation Submitted by Email shall not be considered and no correspondence will be entertained in this matter. The quotations received after this deadline & unsealed shall not be entertained under any circumstances whatsoever. In case of postal delay this Institute will not be responsible.
2. Quotations must be in the enclosed prescribed Performa on the letter head of the firm duly signed by the Proprietor/ Partner/ Director or their authorized representative.
3. Rates must be quoted FOR basis (including Freight charges, Insurance, installation etc.) in INR as per the format specified. **DSIR certificate is not applicable in this inquiry.**
4. No overwriting or cutting is permitted in the rate. If found, the quotation shall be summarily rejected.
5. The rates quoted must be valid for 60 days minimum from the date of opening of the quotation and silence of any tendered on this issue shall be treated as agreed with this condition.
6. **Bidder must quote for all the product otherwise the bid will be treated as unresponsive and will not be considered for further process.**
7. After due evaluation of the bids, Institute will award the contract to the responsive Bidder who has quoted the **Overall Lowest Price for all the above mentioned items as per the specification including GST. Lowest bidder will not be arrived/calculated based on the cost of individual Items.**
8. Becoming L1 will not be the criteria for awarding of purchase order unless the rates are reasonable & justified.
9. RTGS/NEFT details need to be furnished by the supplier with the quotation on the letter head of supplier/firm/agency.
10. The firm/agency may satisfy the following conditions and attach self-attested copy of the same with the quotation:
 - a. The firm shall have valid GST No. and GeM seller ID.
 - b. **The firm should not be black listed by any Govt. Agency/Dept.**
11. Any conditional quotation shall be rejected summarily.
12. Last date of submission of Quotation: **On or before 1500 Hrs. of 10/06/2022.**
13. **Delivery Period** – 15 days from the date of supply order.
14. **Liquidated Damage:** - If the supplier fails to deliver the material on or before the stipulated date, then a penalty at the rate of 0.5 % per week of the total order value shall be levied subject to maximum of 10% of the total order value.
15. DSIR certificate is not applicable in this inquiry.
16. Payment :- 100% payment shall be made after successful delivery of goods in acceptable conditions, subject to availability of fund.
17. Expiry, Warranty/Guarantee, if any, should be mentioned clearly by the bidders.
18. Disputes: -In the event of any dispute or disagreement arising between the contractors and any other department of AIIMS Jodhpur with regards to the interpretation of “Terms & Conditions” of this inquiry, the same shall be referred to the Director, AIIMS Jodhpur whose decision will be final and binding upon the contractor.

Sd/-

Sr. Procurement-cum Store Officer

Phone: 0674-2476035/669/044

Email ID-spo@aiimsbhubaneswar.edu.in

QUOTATION FORMAT

(To be printed in Firms Letter Head)

Inquiry Ref.: AIIMSBBSR/S&P/LPC/05/2022-23 dtd.03/06/2022

1. Name of the Firm : _____
2. Quotation Reference No. & date : _____
3. GSTIN No. : _____
4. Mobile Phone No. : _____
5. Email : _____
6. GeM Seller ID : _____

S.No.	Name of the item	Specification	Required Quantity to be supplied within 15 days of issue of PO	Brand/ Make	Rate per Unit in RS.	GST %	Rate per Unit including GST	Total amount including GST in Rs.
1	Glass Ionomer cement (Type-I) (Powder and liquid)	The cement packet should consist of powder and liquid in a separate bottle with powder dispensing scoop, paper pad and mixing spatula. There should be atleast 10ml of liquid and 30gm of powder in the packet. The expiry date should be at least 1 year from the date of supply to the AIIMS, Bhubaneswar.	15 pkts					
2	Glass Ionomer cement (Type-II) (Powder and liquid)	The cement packet should consist of powder and liquid in a separate bottle with, powder dispensing scoop, paper pad and mixing spatula. There should be atleast 10ml of liquid and 30 gm of powder in the packet. The expiry date should be at least 1 year from the date of supply to the AIIMS, Bhubaneswar.	20 pkts					
3	Temporary restorative material/Kalsogen/Cavit M (Powder & Liquid)	The cement packet should consist of powder and liquid in a separate bottle. There should be atleast 10ml of liquid and 20 gm of powder in the packet. The expiry date should be at least 1 year from the date of supply to the AIIMS, Bhubaneswar.	10 pkts					
4	Matrix band (No. 8)	It should be made up of high quality stainless steel. Each packet should contain 12 no of matrix bands of different sizes.	10 pkts					
5	Wooden wedges	The packet should contain minimum of 25 no of plastic wedges of various sizes.	25 pkts					
6	Surgical burs straight handpiece (Tungsten carbide, 703 no.)	High quality tungsten carbide burs for use in straight handpiece.	200 No					

7	GP Point-6% (25)	The assorted pack of GuttaPercha points-6% (25) (25mm) should be of high quality.	10 pkts					
8	GP Point-4% (25)	The assorted pack of GuttaPercha points-4% (25) (25mm) should be of high quality.	10 pkts					
9	GP Point-6% (30)	The assorted pack of GuttaPercha points-6% (30) (25mm) should be of high quality.	10 pkts					
10	GP Point-4% (30)	The assorted pack of GuttaPercha points-4% (30) (25mm) should be of high quality.	10 pkts					
11	EDTA	The packet should contain either 17% EDTA solution in 100ml bottles OR in gel form of 5g syringe (pack of 3) with screw design stopper. The packet should contain at least 15 applicator tips. The expiry date should be at least for 1 year from the date of supply to AIIMS, Bhubaneswar.	10 pkts					
12	Sodium hypochlorite	The pack should contain 5.25% sodium hypochlorite solution in 500ml bottles. The expiry date should be at least for 1 year from the date of supply to AIIMS, Bhubaneswar.	10 pkts					
13	Calium Hydroxide based root canal sealer (Apexit)	The packet should contain base tube (15gm) and catalyst tube (15gm) with mixing pad. The expiry date should be at least 1 year from the date of supply to the AIIMS, Bhubaneswar.	02 pkts					
14	Stone plaster (Green stone) (Pack of 1kg)	The packet should contain high quality white dental stone plaster (Green stone) packed 1kg for various uses in dentistry.	25 pkts					
15	Alginate (Dust free) (Pack of 450gm)	The packet should contain 450gm of dust free powder. It should have good flavor. The expiry date should be at least for 1 year from the date of supply to AIIMS, Bhubaneswar.	25 pkts					
16	ETCHANT (Vial containing 9 ml.)	The bottle should contain 37% phosphoric etchant liquid-gel. The bottle should contain atleast 9ml of etchant gel. The expiry date should be at least for 1 year from the date of supply to AIIMS, Bhubaneswar.	10 no					
17	Disposable patient apron	It should be water proof and non-woven apron. There should have threads to tie behind the patient's neck.	4000 pcs					

18	Universal Dentin bonding agent	The dentin bonding agent should be available in a bottle containing 5gm of bonding agent.	6 vials					
19	Resin cement	It Should be a self-adhesive, self-curing resin cement with optional light curing property. It should be packed in 9g -10g smart mix syringe.	02 pkts					
20	TMA orthodontic arch wire straight length (0.017" x 0.025") (Pack of 10)	Packet should contain 10 no. straight high quality titanium molybdenum (TMA/CNA) alloy archwire of dimension 0.017x0.025" for various orthodontic uses.	02 Pkts					
21	TMA orthodontic arch wire straight length (0.032") (Pack of 10)	Packet should contain 10 no. straight high quality titanium molybdenum (TMA/CNA) alloy round wire of dimension 0.032" for various orthodontic uses.	02 Pkts					
Total cost including GST in Rs.								

I/We agree to supply the requisite material in good/acceptable condition at AIIMS, Bhubaneswar as per the terms and conditions.

Signature & Seal Place and date		Name and Post of Authorised Signatory:	
Address		Tel. No./Mobile No.- Email ID :	

-End-