

Notice Inviting e-Tender For

**SITC of electrical work for skin bank, research room and
laboratory located at 3rd floor of Burn Unit, at AIIMS
Bhubaneswar.**



ଅଖିଳଭାରତୀୟ ଆୟୁର୍ବିଜ୍ଞାନ ସଂସ୍ଥାନ,
All India Institute of Medical Sciences
Engineering Department, Bhubaneswar (Odisha)-751019
www.aiimsbhubaneswar.nic.in

NIT No. : **AIIMS/BBSR/ENGG. / ELECT. /34/2026**

Estimated Cost : **Rs. 13,50,744.00**

EMD : **2% of the Estimated Value**

Issue Date : **01/10/2026**

Last date of submission : **22/10/2026 (18.00 hours)**

Completion Period : **60 days.**

“Certified that, this tender document contains **35 pages** only”.

**Executive Engineer (Electrical)
AIIMS, Bhubaneswar**

Government of India, Ministry of Health & Family Welfare, AIIMS, Bhubaneswar

Name of Work :	<u>SITC of electrical work for skin bank, research room and laboratory located at 3rd floor of Burn Unit, at AIIMS Bhubaneswar.</u>	
NIT No.	<u>AIIMS/BBSR/ENGG. /ELECT. /34 /2026</u>	
		Page No
1.	Subject & Index -	01 - 02
2.	Notice Inviting e-Tender / Notice Inviting Tender	03
3.	Information & Instructions to Bidders for Tendering	04 - 06
4.	General Conditions of Contract	07-10
5.	Form for Financial Information (Appendix 'A' refers)	11
6.	Form for details of all works of similar class completed during last 07 (Seven) Years (Appendix 'B' refers)	11
7.	Form for Detailed information of the Bidder (Appendix 'C' refers)	12
8.	Declaration to be given by tenderer (Annexure - I)	13
9.	Bidders undertaking against Item Rate/ percentage rate Bid for Work (Annexure - II)	14
9.	Affidavit (Annexure - III)	15
10.	Technical Bid (Eligibility Criteria)	16
11.	Special conditions of contract	17-22
12.	Format for Integrity Pact	23-26
13.	Proforma of Schedules	27 - 29
14.	Financial Bid (Schedule of Quantities)	30-33
15.	e-Tendering Instruction to the Bidder	34-36

NOTICE INVITING e-TENDER

The Executive Engineer, (Electrical), AIIMS, Bhubaneswar (Phone: 0674 – 2476083, [email-eeel@aiimsbhubaneswar.edu.in](mailto:eeel@aiimsbhubaneswar.edu.in)) on behalf of Executive Director, AIIMS, Bhubaneswar invites online Percentage rate tender in Two Bid system (Technical & Financial) from reputed contractor having successfully completed works of similar nature as per eligibility criteria for the following work:-

Name of Work	SITC of electrical work for skin bank, research room and laboratory located at 3rd floor of Burn Unit, at AIIMS Bhubaneswar.
Tender No.	AIIMS/BBSR/ENGG./ELECT./34/2026
Estimated Cost put to Tender	Rs. 13,50,744.00 (Rupees Thirteen Lakhs Fifty Thousand and Seven hundred Forty-Four only)
EMD	2 % estimated cost
Types of Work	SITC
Contract Period	60 days
Last Date, Time & Place of Submission	By 22/10/2026 at 18:00 Hours through online in www.eprocure.gov.in
Date, Time for opening of Tender	On 24/10/2026 at 12:00 Hours.

The bid document consisting of NIT, plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from <https://eprocure.gov.in/eprocure/app> or www.aiimsbhubaneswar.nic.in free of cost.

The indenting Bidder must read the Terms & Conditions of AIIMS, Bhubaneswar carefully. He/They should only submit his/her/their bid if he/she/they consider himself/themselves eligible and he/she/they is/are in possession of all the documents required.

For e-Tendering of this Tender, kindly visit website <https://eprocure.gov.in/eprocure/app>.

E-Tendering Portal: <https://eprocure.gov.in/eprocure/app>

For E-tendering Queries contact CPPP Help Desk.

The intending bidders must have valid class-III digital signature to submit the bid.

Further modification or change of dates, if any, can be seen in the above stated tender web site.

Executive Engineer (Elect)
AIIMS, Bhubaneswar

INFORMATION AND INSTRUCTIONS TO BIDDERS FOR e-TENDERING

The **Executive Engineer, (Electrical), AIIMS, Bhubaneswar (Phone: 0674 – 2476083, [email-eeel@aiimsbhubaneswar.edu.in](mailto:eeel@aiimsbhubaneswar.edu.in))** on behalf of Executive Director, AIIMS, Bhubaneswar invites online Percentage rate tender in Two Bid system (Technical & Financial) from reputed contractor having successfully completed works of similar nature as per eligibility criteria for the following work:-.

Ser. No.	Description	Details
(a)	NIT No.	AIIM/BBSR/ENGG. /ELECT. /34 /2026
(b)	Name of Work:	SITC of electrical work for skin bank, research room and laboratory located at 3rd floor of Burn Unit, at AIIMS Bhubaneswar.
(c)	Estimated Cost	RRs. 13,50,744.00 (Rupees Thirteen Lakhs Fifty Thousand and Seven Hundred Forty-Four only)
(d)	Earnest Money	2% of the Estimated Value.
(e)	Period of Completion	60 days
(f)	Last date and time of online submission of tender	By 22/10/2026 at 18:00 Hours through online in www.eprocure.gov.in
(g)	Time and date of online opening of Tender (Technical Bid)	On 24/10/2026 at 12:00 Hours.
(h)	Time and date of opening of Online Financial Bids	Intimate later through website
(i)	Mode of submission of Tender	On Line.

- The intending bidder must read the terms and conditions of Tender document carefully. He should submit his bid if he considers himself eligible and he is in possession of all the certificates / documents required.
- Information and Instructions for bidders for e-tendering posted on website shall form part of bid document.
- The bid document consisting of NIT, plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from <https://eprocure.gov.in/eprocure/app> or www.aiimsbhubaneswar.edu.in free of cost.
- For e-Tendering of this Tender, kindly visit website <https://eprocure.gov.in/eprocure/app> E-Tendering Portal: <https://eprocure.gov.in/cppp> For E-tendering Queries contact CPPP Help Desk.
- The intending bidders must have valid class-III digital signature to submit the bid.
- The e-tender Processing Fee for submission of bid shall be as per the guidelines of CPP portal.
- Copies of eligibility documents and Earnest Money Deposit as specified in the notice inviting tender shall be scanned and uploaded on the e-tendering website within the period of tender submission. Bidders can upload documents in the form of JPG format, PDF format and any other format as permissible by the e-tendering portal.
- Contractor must ensure to quote the percentage rate in Performa of quoting rates. In addition to this while selecting any of the cells a warning appears that if any cell is left blank the same shall be treated as "0". Therefore, if any cell is left blank and no rate is quoted by the bidder, rate of such item shall be treated as "0" (zero). However, if a tenderer does not quote any percentage above/below on the total amount of the tender or

any section /sub head in percentage rate tender or each item in item rate tender, the tenderer shall be treated as invalid and will not be considered as lowest tenderer.

9. GST on all materials as well as GST on Work Contract etc., or any other taxes applicable in respect of this contract shall be payable by the Contractor. Percentage rate quoted by him shall be inclusive of such taxes, levies etc and Government will not entertain any claim for reimbursement whatsoever in respect of the same. The percentage rates of the contract shall be inclusive of all taxes and levies and nothing extra shall be paid. Further the percentage rate quoted by the contractor shall be inclusive of labor welfare cess, water charges (if applicable), electricity charges (if applicable) and the same shall be recovered from the contractors' bills and will be remitted by the department.

10. After submission of bid online, it can be revised any number of times before specified time on last date of submission of bid. While submitting the revised bid, bidder can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of bid as notified.

11. Financial bids shall be opened online only for bidders for whom Earnest Money Deposit and other documents are found in order and who are found to be eligible to bid for work. On opening date, the bidder can login and see the bid opening process. After opening of bids, he will receive the competitor bid sheets.

12. If the contractor is found ineligible after opening of bids, his bid shall become invalid.

13. If any discrepancy is noticed between the eligibility documents as uploaded at the time of submission of bid and hard copies as submitted physically by the bidder, the bid shall become invalid.

14. ***The Bidders shall have to submit original documents for Earnest Money Deposit and self-certified copies of all the scanned and uploaded documents on same day of opening of tender in the office of Tender Opening Authority before online opening of e-Tender. List of Eligibility Documents to be scanned and uploaded within the period of bid submission: -***

- (a) Earnest Money Deposit in favor of AIIMS, Bhubaneswar.
- (b) Appendix 'A to C' duly filled in (Pages 11 & 12 ref.) and signed.
- (c) Certificates of Work Experience (Work Completion Certificate and work order with BOQ) of Similar Works from Client not below the Rank of Executive Engineer or equivalent, as mentioned in Ser No - 4, Page No. – 7 refer under Eligibility Criteria.
- (d) Certificate of Registration for GST.
- (e) Copy of PAN Card.
- (f) **Copies of annual turnover of last three years from CA:** At the time of submission of bid, bidder may upload affidavit/ certificate from CA mentioning finance turn over for the period specified in the bid document. Further details if required may be asked to the contractor after opening of technical bid. There is no need to upload entire voluminous balance sheet.
- (g) Percentage rate tender & Contract for work undertaking (in prescribed format- Annexure-V)
- (h) Copies of valid **Electrical License (MV or above)**
- (i) Copies of ESI Registration
- (j) Copies of EPF Registration
- (k) Declarations to be given by the Tenderers (as per Page 06.)
- (l) Each page of the e-tender documents should be duly signed with seal otherwise the bid shall become invalid.
- (m) Affidavit

15. FRAUD AND CORRUPTION:

- 15.1 The Engineer-in-Charge will reject a proposal for award if he determines that the bidder recommended for award has been engaged in corrupt or fraudulent practices in competing for the contract in question. He will report to the Officer Inviting Bid / next higher authority.
- 15.2 Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited & the tenders submitted by the contractors who resort to canvassing will be liable for rejection.
- 15.3 The Contractor shall be debarred for 1 year by the AIIMS, Bhubaneswar Authority for the following reason-.

- (i) If the contractor submits false experience/completion certificates, **as mentioned in Ser. No. - 4(a), Page No. - 8 (refer under Eligibility Criteria)**. The department reserves the right to verify the particulars furnished by the applicant independently.
 - (ii) If the contractor fails to commence the work on or before the scheduled date stated in the work order.
 - (iii) Violates any important condition of contract.
16. The Technical Bid(s) shall be opened first by the Committee on __/__/2026 by 12.00 Hours. The Financial Bid(s), whose Technical Bid) s found to be eligible, will be opened at the stipulated given time. After the evaluation of the Bid(s) AIIMS, Bhubaneswar will award the contract to the Lowest Evaluated Responsive Tenderer. Conditional Bid(s) will be treated as unresponsive and will be rejected.
17. Information & Instruction for Contractor will form Part of NIT.

Executive Engineer (Electrical)
AIIMS, Bhubaneswar

A. GENERAL CONDITIONS OF CONTRACT

The Executive Engineer, (Electrical), AIIMS, Bhubaneswar (Phone: 0674 – 2476083, email- eeel@aiimsbhubaneswar.edu.in) on behalf of Executive Director, AIIMS, Bhubaneswar invites online Percentage rate tender in Two Bid system from reputed contractor having successfully completed works of similar nature as per eligibility criteria for the following work:-.

1. **Name of Work:** e-Tender of “SITC of electrical work for skin bank, research room and laboratory located at 3rd floor of Burn Unit, at AIIMS Bhubaneswar.”
 2. The work is estimated to cost **Rs. 13,50,744.00 (Rupees Thirteen Lakhs Fifty Thousand and Seven Hundred Forty-Four only)**. The estimate, however, is given merely as a rough guide.
 3. Intending Bidder is eligible to submit the bid provided he has definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority of having satisfactorily completed similar works. The similar work means, **“Supply, Installation, Testing and Commissioning of Electrical items & internal electrical wiring.”**
 4. **Eligibility Criteria.** Indenting Bidder, who fulfill following requirement shall be eligible to apply: -
 - (a) Three (03) similar works each of value **not less than 40%** (i.e. for **Rs. 5,40,298.00/-**) of estimated cost put to tender or Two (02) similar works each of value **not less than 60%** (i.e. for **Rs. 8,10,446.00/-**) of estimated cost put to tender or one (01) similar work of value **not less than 80%** (i.e. for **Rs 10,80,595.00/-**) of estimated cost put to tender in **last 07 (Seven) Years ending last date of tender submission.**
 - (b) **The experience of similar work should be from Central Govt., State Govt., PSU and Autonomous Body.**
 - (c) The Bidder should have registration up to date with **Employee Provident Fund (EPF) Commissioner** and **Employee State Insurance (ESI) Corporation.**
 - (d) Agreements shall be drawn with the successful bidders for item/items on prescribed format. Bidders shall quote their rates as per various terms and conditions of the said form which will form part of the agreement.
 - (e) The bid document consisting of plans, specifications, the schedule of quantities of the various type of items to be executed and the set of terms & conditions of the contract to be complied with and other necessary documents.
 - (f) Conditional Bids shall not be considered and will be out-rightly rejected at the very first instance.
 - (g) **Average Annual Financial**, the turnover during the last 3 years, ending **31st March 2025** should be more than 30% of the estimated cost.
 5. **Preparation & Submission of Tender through Online.** The Tender should be submitted in **02 (Two) parts i.e. Technical Bid and Financial Bid respectively.** The Technical Bid should be sent by the Bidder through online as **“Technical Bid”** for **“SITC of electrical work for skin bank, research room and laboratory located at 3rd floor of Burn Unit, at AIIMS Bhubaneswar.”**
 6. **Earnest Money Deposit.** The bidder shall be required to submit the Earnest Money Deposit (EMD) for an amount of **2% of Estimated cost** by way of Demand Drafts/FDR/ Bank guarantee (Drawn in favour of AIIMS, Bhubaneswar). **Scanned Copy of the EMD must be uploaded and the original EMD must be submitted** with the Technical Bid documents. Bid(s) received in tender without EMD will be rejected. The EMD of the successful Bidder shall be returned after the successful submission of Bank Guarantee/Annual Deposit and, for unsuccessful bidder(s) it would be returned after Award of the Contract.
- There is no exemption of EMD submission for this work.**
7. **Performance Guarantee.** The successful contractor will be required to furnish a Performance guarantee (PG) of **05% (Five Percent) of the Estimated cost put to tender or Contract Amount which is higher** after

receiving notification of award (LoA) in the form of Fixed Deposit Receipt or Bank Guarantee from any Nationalized Bank (as per clause-v) duly pledged in the name of the "All India Institute of Medical Sciences, Bhubaneswar" which shall be kept valid for a period of **6 months** beyond completion of all the contractual obligations.

If the quoted amount is lesser than 80% of the estimated cost put to tender, then an additional Performance guarantee (APG) shall be submitted in addition to the standard Performance Guarantee. The amount of APG shall be equivalent to the difference between the 80% amount of estimated cost and quoted amount.

The security deposit can be forfeited by order of this Institute in the event of any breach or negligence or non-observance of any condition of contractor for unsatisfactory performance or non-observance of any condition of the contract. Performance Security will be discharged after completion of contractor's performance obligations (including Warranty/Guarantee period) under the contract. In case the contractor fails to deposit the said performance guarantee within the period including the extended period if any, the contractor shall be debarred from the AIIMS tender for one year.

8. Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their bids, the means of access to the site and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bid. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The bidders shall be responsible for arranging and maintaining at his own cost, all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions.
9. The Tender paper/documents can be seen/downloaded from Official website & submitted through online. For any query, Executive Engineer (Electrical), Phone: 0674 – 2476083, AIIMS, Bhubaneswar, may be contacted. **Mail id- eeel@aiimsbhubneswar.edu.in**
10. The Executive Director, AIIMS, Bhubaneswar does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assignment of any reason. All bids in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected.
11. Canvassing whether directly or indirectly, in connection with bidders is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable to rejection.
12. The Executive Director, AIIMS, Bhubaneswar reserves to himself the right of accepting the whole or any part of the bid and the bidder shall be bound to perform the same at the rate quoted.
13. The contractor shall not be permitted to bid for works in the AIIMS, Bhubaneswar responsible for award and execution of contracts, in which his near relative is posted as an officer in any capacity between the grades of Superintending Engineer and Assistant Engineer (both inclusive). He shall also intimate the names of person who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazette officer in the AIIMS, Bhubaneswar. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contractors of this Department.
14. No Engineer of gazette rank or other Gazette Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of one year after his retirement from Government service, without the prior permission of the Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as afore said before submission of the bid or engagement in the contractor's service.
15. The bid for the works shall remain open for acceptance for a period of 180 days from the date of opening of bids.
16. This notice inviting bid shall form a part of the contract document. The successful bidder/ contractor, on acceptance of his bid by the Accepting Authority shall within 15 days from the stipulated date of start of

the work, sign the contract consisting of "The Notice Inviting bid, all the documents including additional conditions, specifications and drawings, if any, forming part of the bid as uploaded at the time of invitation of bid and rate quoted online at the time of submission of bid and acceptance there of together with any correspondence leading thereto.

17. The followings amounts are included in the tendered cost.
- (a) Security Deposit equal to 2.5% of the Contract Value will be deducted from the Bills of the Contractor, and will be released after successfully completed of DLP Period/ Warrantee period.
 - (b) The Income Tax as applicable shall be deducted from the Bill unless exempted by the Income Tax Department.
 - (c) The quoted Rates shall be inclusive of GST.
 - (d) Labor CESS @ 01% will be deducted from the Bill.
 - (e) If Electricity from AIIMS Bhubaneswar is used by the vendor, then vendor shall be charged for the electricity consumed as per the relevant rates. The vendor shall provide the Energy Meter for calculation of actual unit consumed.
 - (f) Water Charges @1% of the Gross bill amount will be deducted, if water supply is taken from AIIMS Department

20. Goods and Services Tax (GST).

- (a) GENERAL REMARKS ON TAXES & DUTIES: In view of GST Implementation from 1st July 2017, all taxes and duties including Excise Duty, CST/VAT, Service tax Entry Tax and other indirect taxes and duties have been submerged in GST. Accordingly, reference of Excise Duty, service Tax, VAT, Sales Tax, Entry or any other form of indirect Tax except of GST mentioned in the bidding document shall be ignored.
 - (b) Bidders are required to submit copy of the GST Registration certificated while submitting the bids wherever GST (CGST & SGST/UTGST or IGST) is applicable.
 - (c) "GST shall mean Goods and services Tax charged on the supply of material(s) and services. The term 'GST' shall be construed to include the integrated Goods and Services Tax (Hereinafter referred to as "IGST") or central Goods and Services Tax (hereinafter referred to as "CGST") or State Goods and services Tax (Hereafter referred to as "SGST") or union Territory Goods and services Tax (hereinafter referred to as "UTGST").
 - (d) Quoted price/rate(s) should be inclusive of all taxes and GST (i.e. IGST or CGST and SGST /UTGST applicable in case of interstate supply or intra state supply respectively and cess on GST if applicable) on the final service. However, GST rate (including cess) to be provided in the respective places in the price Bid. please note that the responsibility of payment of GST (CGST & SGST or IGST or UTGST) lies with the supplier of Goods/services (service provider) only. Supplier of Goods/Service (Service provider) providing taxable service shall issue an invoice/Bill, as the case may be as per rules/regulation of GST. Further, returns and details required to be filled under GST laws & rules should be timely filed by supplier of Goods /services (Service provider) with requisite details.
21. The Agency shall be solely responsible for compliance to the provisions of various Labour and industrial laws, such as, wages, allowances, compensations, EPF, Bonus, Gratuity, ESI etc. relating to personnel deployed by it at AIIMS, Bhubaneswar site or for any accident caused to them and the institute shall not be liable to bear any expense in this regard. The Agency shall make payment of wages to workers engaged by it by the stipulated date irrespective of any delay in settlement of its bill by AIIMS, Bhubaneswar for whatever reason. The Agency shall also be responsible for the insurance of its personnel. The Agency shall specifically ensure compliance of various Laws / Acts, including but not limited to with the following and their re-enactments / amendments / modifications: -
- (a) The Payment of Wages Act 1936.
 - (b) The Employees Provident Fund & MP Act, 1952.
 - (c) The Contract Labour (Regulation) Act, 1970.
 - (d) The Payment of Bonus Act, 1965.
 - (e) The Payment of Gratuity Act, 1972.
 - (f) The Employees State Insurance Act, 1948.
 - (g) The Employment of Children Act, 1938.
 - (h) The Motor Vehicle Act, 1988.
 - (i) Minimum Wages Act, 1948.

22. **Breach of Terms and Conditions.** Noncompliance of any terms and conditions enumerated in the contract shall be treated as breach of contract. Or in Case of breach of any terms and conditions as mentioned above, the Competent Authority, will have the right to reject the bid at any stage without assigning any reason thereof and nothing will be payable by AIIMS, Bhubaneswar in that event the firm shall be suspended for One Year.
23. **Termination of Contract.** AIIMS, Bhubaneswar would have the right to terminate the contract, in case the work performance is not up to the standard, or in case there is any violation of AIIMS, Bhubaneswar rules & regulations, or if there is any lapse in compliance of any labour legislation, or if there is any incident of indiscipline on the part of the Tenderer or his staff and the agreement may be terminated. The decision of AIIMS, Bhubaneswar's management in this regard would be final and binding on the Tenderer. In such an event, AIIMS, Bhubaneswar shall have the right to engage any other tenderer to carry out the task.
24. **Arbitration.** The Arbitration shall be held in accordance with the provision of the Arbitration and conciliations Act, 1996 and the venue of arbitration shall be at Bhubaneswar. The decision of the Arbitrator shall be final and binding on the both parties.
25. **Dispute Settlement.** It is mutually agreed that all differences and disputes arising out of or in connection with this agreement shall be settled by mutual discussions and negotiations if such disputes and differences cannot be settled and resolved by discussions and negotiations then the same shall be referred to the sole Arbitrator appointed by the Executive Director, AIIMS, BHUBANESWAR whose decision shall be final and binding on both the parties. The contract shall be governed by laws and procedures established by Govt. of India, within the framework of applicable legislation and enactment made from time to time concerning such commercial dealings/ processing.
26. The Lowest Bidder will be decided as per the Commutation Rates quoted by the Bidder for individual item.
27. **Mode of Payment:**
 (a) The 100% payment shall be released after due verification of final bill by Engineering-in Charge or his representative after completion of work. A deduction of **2.5% towards Security Deposit** shall be made from the bill and shall be released after the completion of warranty or as per the clause no. 17 of CPWD GCC 2019 and other deduction towards taxes as per Government of India/AIIMS rule will be made from the bill. No provision is given for RA bill payment in this contract.
 (b) It will be mandatory for the bidders to indicate their bank account number and other relevant e-payment details so that payment could be made through RTGS/ Other mechanism.
26. GST and other Taxes as applicable shall be recovered/ paid from the contractor's bill as per Govt. of India/AIIMS Rules.
27. **Penalty:** All the work shall be completed within 60 days from the date of issue of work Order by the Institute. All the aspects of safe installation shall be the exclusive responsibility of the Contractor. If the contractor fails to complete the work on or before the stipulated date, then a penalty at the Rate of **2% per month of delay** to be computed on per day basis shall be levied subject to maximum of 10% of the total tender value.
28. **Vendor shall submit following documents after execution of given work:**
 (a) Work Completion Certificate
 (b) Testing & Commissioning Certificate. (if any)
 (c) Material Test Certificate from OEM.
 (d) Warranty/Guarantee Certificate.
 (e) No-Objection Certificate (NOC) regarding work.
 (f) GST return up to date Voucher.
 (g) Bank Account Details.

Executive Engineer (Electrical)
AIIMS Bhubaneswar

Appendix-A**FORM FOR FINANCIAL INFORMATION**

(Financial Analyses)

Details to be furnished duly supported by figures in Balance Sheet/Profit & Loss Account duly Certified by the Chartered Account, as submitted by the applicant to the Income Tax Department (copies to be attached).

Ser. No.	Description	2022-23	2023-24	2024-25

Note: Gross Annual Turn Over only.

Appendix-B**FORM FOR DETAILS OF ALL WORKS OF SIMILAR CLASS****COMPLETED DURING THE LAST 07 (SEVEN) YEARS**

(i.e. FOR THE YEAR ENDING LAST DATE OF TENDER SUBMISSION)

Ser. No.	Name of Work/ Project	Location	Owner or Sponsoring Organization	Cost of Work in Lakhs	Date of Commencement as per Contract	Stipulated date of Completion	Actual date of Completion	Litigation/ Arbitration pending/ In progress with details	Remarks
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(k)
1.									
2.									
3.									
4.									
5.									
6.									
7.									

- Agency must fill the above details (Attach Separate Sheets if Required.)

(Authorized Signature of the Bidder with Seal)

Appendix-C**FORM FOR DETAILED INFORMATION BY BIDDER**

Name of Firm/ Contractor/ Supplier	:
Complete Address and Telephone Number	:
Name of Proprietor/ Partner/ Managing Director/ Director	:
Phone Number	:
Mobile Number	:
e-Mail ID	:
Name and address of service center nearby Bhubaneswar	:
Whether the firm is a registered Firm (Yes/ No. Attach Copy of Certificate)	:
PAN Number. (enclose the attested copy of PAN Card)	:
Service Tax Number. (enclose the attested copy of VAT Certificate)	:
GST Number (enclose the attested copy of VAT Certificate)	:
Whether the firm has Uploaded the Bank Draft/Pay Order/ Banker's Cheque of Earnest Money Deposit (EMD).	:
Whether the Firm/Agency as signed each and every page of Tender/NIT	:
EPF No. (Enclose the attested copy of EPF Registration Certificate)	:
ESI Code.	:
Any other information, if necessary.	:

(Authorized Signature of the Bidder with Seal)

Annexure-I**DECLARATIONS TO BE GIVEN BY THE TENDERERS****It is to certify that: -**

(a) I /We have gone through GCC of CPWD amended up to the latest correction as available on website [https:// https://cpwd.gov.in/](https://cpwd.gov.in/) or in the office of Superintendent Engineer and I/We agree with the terms and conditions of it and understood that it will form part of the agreement.

Date: _____

Signature of the Tenderer

(b) "I,S/o Shri resident of hereby certify that none of my Relative(s) as defined in Paragraph 14 of CPWD W-6 is/are employed in AIIMS Bhubaneswar, Engineering Department, Odisha. In case at any stage, it is found that the information given by me is false/incorrect, AIIMS, Bhubaneswar shall have the absolute right to take any action as deemed fit without any prior intimation to me".

Date: _____

Signature of the Tenderer

NOTE: - (To be certified by all the partners in case of partnership firms, by all the Executive Directors in case of companies).

(c) "I/We undertake and confirm that eligible similar Work(s) has/have not been got executed through another contractor on back to back basis. Further, it is stated that, if such a violation comes to the notice of Department, then I/We shall be debarred for bidding in AIIMS in future forever. Also, if such a violation comes to the notice of AIIMS, Bhubaneswar before date of start of work, the Superintending Engineer shall be free to forfeit the entire amount of EMD".

Date: _____

Signature of the Tenderer

(d) In case I/we become the Lowest Bidder, Original Instrument for EMD and self certified copies of other Eligibility Documents shall be deposited by me/us with the Superintending Engineer calling the Tender within 01 (One) Week of the opening of financial bid otherwise AIIMS shall reject the bid and also take action to debar me/us from tendering in AIIMS Bhubaneswar.

Date: _____

Signature of the Tenderer

Annexure-II**Percentage Rate Tender & Contract for Works***(To be submitted on Rs 10/- stamp paper with notarized)*

Tender for the work of “ **SITC of electrical work for skin bank, research room and laboratory located at 3rd floor of Burn Unit, at AIIMS Bhubaneswar.**”

(i) To be uploaded byhours onto

(b) To be opened in presence of tenderers who may be present at hours on in the office of

TENDER

I/ We have read and examined the notice inviting tender, all schedule 'A' to 'F' as per Specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, Clauses of Contract, Special Conditions, Schedule of Rate & other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I/We hereby tender for the execution of the work specified for the AIIMS Bhubaneswar within the time specified in Schedule 'F' viz., schedule of quantities and in accordance in all respect with the specifications, designs, drawing and instructions in writing referred to General Rules and Directions and the Conditions of contract and with such materials as are provided for, by, and in respect of accordance with, such conditions so far as applicable.

I/We agree to keep the tender open for 180 days from the due date of its opening in case of single bid system from the date of opening of technical bid in case tenders are invited on 2 /3 bid/ system for specialized work and not to make any modification in its terms and conditions.

A sum of **Rs. -----/-** (Rupees -----only) is here by forwarded in Bank Guarantee of scheduled Bank/ Demand Draft of a scheduled Bank/ Bank Guarantee issued by a scheduled Bank **as Earnest Money**. If I/ We, fail to furnish the prescribed Performance Guarantee within prescribed period. I/ We agree that the said Executive Director, AIIMS, Bhubaneswar or his successors, in office shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely.

Further, if I/ We fail to commence work as specified, I/ We agree that Executive Director, AIIMS, Bhubaneswar or the successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said performance guarantee absolutely. The said performance guarantee shall be a guarantee to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to those in excess of that limit at the rates to be determined in accordance with the provision contained in the tender form.

Further, I/We agree that in case of forfeiture of Earnest Money & Performance Guarantee as aforesaid. I/ We shall be debarred for participation in the retendering process of the work.

I/We undertake and Confirm that eligible similar work(s) has/ have not been got executed through another contract or on back to back basis. Further that, if such a violation comes to the notice of AIIMS, Bhubaneswar, then I/ we shall be debarred for tendering in AIIMS, Bhubaneswar in future forever. Also, if such a violation comes to the notice of AIIMS, Bhubaneswar before date of start of work, the Administrative Officer shall be free to forfeit the entire amount of Earnest Money Deposit/ Performance Guarantee.

I/ We hereby declare that I/ We shall treat the tender documents drawings and other records connected with the work as secret/ confidential documents and shall not communicate information/ derived there from to any person other than a person to whom I/ We am/ are authorized to communicate the same or use the information in any manner prejudicial to the safety of the State.

Dated: * _____

Signature of Contractor
With full Postal Address

Witness: *

Address: *

Occupation: *

ACCEPTANCE

The above tender is accepted by me for and on behalf of the Executive Director, AIIMS, Bhubaneswar for a sum of Rs.----- (Rupees -----).

The letters referred to below shall form part of this contract agreement:-

(a)

(b)

(c)

For & on behalf of the Executive Director,

AIIMS, Bhubaneswar

Dated:

Signature:-----

Designation: -----

Annexure-III**AFFIDAVIT****(To be submitted on Rs. 10/- Indian Non-Judicial Stamp Paper & must be notarized)**

I/We hereby certify that, the above firm has not been ever blacklisted by any Central/State Government/Public Undertaking/Institute on any account.

I/We also certify that, Firm will supply the item(s) as per the specification given by Institution and also abide all the Terms & Conditions stipulated in Tender.

I/We also certify that, the information given in Bid is true and correct in all aspects and in any case at a later date, it is found that any details provided are false and incorrect, any contract given to the concerned firm or participation may be summarily terminated at any state, the firm will be blacklisted and Institute may impose any action as per e-Tender Rules.

"I/We undertake and confirm that eligible similar works(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/we shall be debarred for bidding in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee".

Business Address: -

Name:

(Signature of Bidder with Firm's Seal)

Place: _____

Dated: _____

Annexure– IV**Technical Bid (Eligibility Criteria)**

The scanned copies of the following documents are to be uploaded on e-Tendering Portal in the following format.

Sl. No.	Details/ Particulars	Uploaded (Yes/No)	Page No.
(A)	Demand Draft/ FDR of any scheduled Bank against EMD in favour of AIIMS, Bhubaneswar/		
(B)	Appendix-A to C, duly filled in and signed with stamp (Pages 11 & 12ref.)		
(C)	Proof of Work Experience (Work Completion Certificate and Work order with BOQ) of Similar Works from Client not below the Rank of Executive Engineer or equivalent, as mentioned in Ser. No. - 4, Page No. - 7 refer under Eligibility Criteria with work order copy		
(D)	Certificate of Registration for GST		
(E)	Attested Copies of PAN No.		
(F)	Copies of Annual turnover statement (Last 3 years)		
(G)	Copy of Affidavit. (As per page no 15)		
(H)	Copies of ESI Registration		
(I)	Copies of EPF Registration.		
(J)	Declarations to be given by the Tenderer(s) (as per Page 13).		
(K)	Each page of the e-tender documents should be duly signed with seal otherwise the bid shall become invalid		
(L)	Copies of Contractor's Valid Electrical License (MV or above).		
(M)	Percentage Rate Tender & Contract for Works (as per Page-14)		

B. SPECIAL CONDITIONS OF CONTRACT

1. Name of the work: **“SITC of electrical work for skin bank, research room and laboratory located at 3rd floor of Burn Unit, at AIIMS Bhubaneswar.”**
2. For all items of Electrical; CPWD specifications with correction slips up to the date of receipt of tender shall be followed. For the items which are not covered under CPWD specifications; the special conditions /B.I.S. specifications shall apply. In this regard the decision of Engineer-in- charge shall be final & binding.
3. Wherever any reference is made of any Indian Standard, it shall be taken as reference to the latest edition with all amendments / revision issued thereto up to the date of receipt of tenders.
4. Unless otherwise specified, the agreement rates for all items of work of the schedule of quantities are for all heights, depths, leads and lifts involved in the execution of work.
5. Other agencies working at site will also simultaneously execute the work entrusted to them and the contractor shall offer necessary co-operation wherever required to other agencies.
6. On account of security consideration, there could be some restrictions on the working hours, movement of vehicles for transportation of materials. The contractor shall be bound to follow all such restrictions and adjust the program for execution accordingly, for which nothing extra shall be paid.
7. The work shall be carried out in a manner complying in all respects with the requirements of relevant bye laws of the local bodies, Labor Laws, minimum wages act, workmen compensation act and other statutory laws enacted by Central Govt. as well as State Govt.
8. No residential accommodation shall be provided to any of the staff engaged by the contractor. The contractor shall not be allowed to erect any temporary set up for staff in the campus.
9. No claims of the labours shall be entertained by the Department including that of providing employment, regularization of services etc.
10. The contractor shall have registration with Employee's Provident Fund commissioner and Employee's state Insurance Corporation for safe guarding interest of his workmen. He shall obtain all other necessary approvals from statutory bodies as per law in vogue.
11. All T&P, ladders/Hydra etc, electrical instruments for execution of internal electrification work, consumable and Contingent Articles required for execution of the work shall be arranged by the contractor.
12. Staff employed by the contractor should be well behaved, polite & courteous. Any complaint against staff on behavior should be taken very seriously and such staff should be removed by the contractor immediately from the site and replacement shall be provided immediately.
13. All dismantled material will be removed from site by contractor after verification of measurement of the same by JE.
14. The contractor shall make all safety arrangement required for the labor engaged by him at his own cost. All consequences due to negligence or due to lapse of security/safety or otherwise shall remain with the contractor. The department shall not be responsible for any mishap, injury, accident or death of the contractor's staff. No claim in this regard shall be entertained / accepted by the department. Also, Contractor is responsible to the damage caused to any man/material other than his team during execution and AIIMS will not be responsible for that.

15. Contractor shall be fully responsible for any damages caused to government. property or allotter's property by his or his labor in carrying out the work and shall be rectified by the contractor at his own cost.
16. Chases, holes & drilling works etc. shall be done using power operated tools in the cost of Contract. No extra will be paid for the same.
17. In the case of discrepancy between the schedule of quantities, the Specifications and/or the Drawings, the following order of preference shall be observed: -
 - (a) Description of schedule of quantities.
 - (b) Additional specifications and special conditions, if any.
 - (c) Indian standards specifications/BIS. (vii) Sound engineering practice. Any reference made to any Indian standards specifications in these documents, shall imply to the latest version of that standard, including such revisions/amendments as issued by the Bureau of Standards up to last date of receipt of tenders. The contractor shall keep at his own cost all such publications of relevant Indian Standards applicable to the work at site.
27. The Lowest Bidder will be decided as per the Commutation Rates quoted by the Bidder for individual item. Payment shall be made on after successful completion of work and due Certification of the Bills by the Representative of Engineer-in-Charge.
28. Any facility not mentioned in this scope, but which is vital to **"Name of the work: "SITC of electrical work for skin bank, research room and laboratory located at 3rd floor of Burn Unit, at AIIMS Bhubaneswar"** are assumed to be included in the scope of work.
29. Contractor has to ensure safety and provide adequate supervision/precautions.
30. During working at site, some restrictions may be imposed by Engineer-in-Charge/Security staff of Corporation or Local Authorities regarding safety and security etc., the contractor shall be bound to follow all such restrictions/instruction & nothing extra shall be payable on this account & no claim for delay on this account shall be entertained.
31. No compensation shall be payable to the contractor for any damage caused by rains lightening, wind, storm, floods Tornado, earth quakes or other natural calamities during the execution of work. He shall make good all such damages at his own cost; and no claim on this account will be entertained.
- 32.. The tender shall be based on Conditions of Contract and tenderers are required to quote their own rates against each item in schedule of quantities, which is enclosed. All rates shall remain firm for the contract period/extended contract period.
33. If the contractor fails to proceed with the work within the stipulated time as specified from the date of issue of letter of intent/letter to proceed with the work, the Contractor shall be debarred from AIIMS tender for one year.
34. All the works to be carried out in accordance with latest CPWD/BIS Specifications and as per the directions of Engineer-in-charge.
35. Packing: The supplier shall provide such packing of the goods, as is required to prevent their damages or deterioration during the transit to their final destination as indicated in the contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit.

36. DRAWING AND SPECIFICATIONS

A copy of tender documents and all relevant drawings and specifications viz. Indian standards, latest CPWD specifications etc. shall be made available at site if & when asked for reference.

37. COST OF TESTS

The cost of preparing samples and carrying out tests for quality of material or workmanship will be borne by the contractor except for such exclusions as are specifically mentioned in the specifications laid down in contract. The cost of all test carried out by Laboratories directed by the Engineer-in-Charge will be borne by the contractor.

38. The work shall be carried out strictly as per the attached technical specifications, relevant IS specifications, Indian Electricity Rules & National Electrical Code.

39. The contractor has to get the material approved from the Engineer-in-Charge before its procurement and actual use at site of work.

40. The scope of work includes all minor works required for execution work such as small wirings, socketing & joints of cable, etc. Nothing extra will be paid to contractor for the same.

41. The watch and ward of material and installation shall rest on the part of contractor during execution of work and till handing over of the same after completion of work in accordance with schedule of work.

42. The contractor will take care of the building etc. while handling / installing the equipment to avoid damages to the building. If any damages occur during execution of work, it shall be made good by contractor without any extra cost.

43. Existing structure materials on good condition may be used after joint inspection by AIIMS representatives & vendor.

44. Dismantling non-used materials to be deposited at Engineering Dept. by the Firm.

Executive Engineer (Electrical)
AIIMS Bhubaneswar

SIGNATURE OF THE CONTRACTOR

TECHNICAL SPECIFICATION

WIRING

1. GENERAL

Technical specifications in this section cover the Internal Wiring Installations comprising of Wiring for convenience socket outlet in surface/concealed conduit.

2. STANDARDS AND CODES.

Latest upto date Indian Standard (IS) and Code of practice will apply to the equipment and the work covered by the scope of this contract. In addition, the relevant clauses of the Indian Electricity Act 1910 and Indian Electricity Rules 1956 as amended upto date shall also apply. Wherever, appropriate Indian

Standards are not available, relevant British and/or IEC Standard shall be applicable.

3. CONDUITS.

3.1. **MS CONDUITS.** Wiring shall be carried out in surface/concealed conduits. The MS conduits conform to Latest and shall be ISI embossed. The conduits shall be heavy gauge (minimum 2 mm wall Thickness) and the interiors of the conduits shall be free from all obstructions. All joints in conduits shall be tightening properly with socket. Damage conduits/fittings shall not be used. Cut ends of conduits shall not have sharp edges.

3.2. **BENDS.** As far as possible, the conduit system shall be so laid out that it shall obviate use of tees, elbows and sharp bends. No length of conduit shall have more than the equivalent of two quarter bends from inlet to outlet.

3.3 CONDUIT ACCESSORIES

3.3.1 **STANDARD ACCESSORIES.** The conduit wiring system shall be completed in all respects, including their accessories. Bends, couplers, Dip junction Boxes etc. shall be solid or inspection type as required, in surface type or works. The accessories shall conform in all respects to the relevant IS. Samples shall be got approved by Executive Engineer (Electrical) before use.

3.3.2. **FABRICATED ACCESSORIES.** Wherever required, outlet boxes of required sizes shall be fabricated from 1.6 mm thick MS sheets which shall be fabricated from minimum 3 mm thick sheets. The outlet boxes shall be of approved quality, finish and manufacture. Suitable means of fixing connectors etc., if required, shall be provided in the boxes. The boxes shall be protected from rust by zinc phosphate primer process. Boxes shall be finished with minimum 2 coats of enamel paint of approved color. A screwed brass stud shall be provided in all boxes as earthing terminal.

4. **WIRES.** Wiring shall be carried out with FRLS insulated 660/1100-volt grade unsheathed single core wires with electrolytic annealed standard copper (unless otherwise stated) conductors conforming to latest IS Code. All wire rolls shall be ISI marked. All wires shall bear manufacturer's label and shall be brought to site in new and original packages. Manufacturer's certificate, certifying that wires brought to site are of their manufacture shall be furnished as required.

5. LAYING OF CONDUITS

- Conduits shall be laid on surface/concealed on walls and ceilings as required.
- Same rate shall apply for surface/concealed Conduiting in this contract.
- Stranded copper conductor insulated wire of size as per schedule of quantities shall be provided in entire conducting for loop earthing.
- GI wire of suitable size to serve as a fish wire shall be left in all conduit runs to facilitate drawing of wires after completion of Conduiting.

6. SURFACE/CONCEALED CONDUITING

Wherever so desired, conduit shall be laid in surface over finished concrete and/or plastered brickwork. Suitable GI/MS Hook of approved make and finish shall be fixed to the finished Structural surface along the conduit route at intervals not exceeding 600 mm. Holes in concrete or brick work for fixing the saddles shall be made neatly by electric drills using masonry drill bits. Conduits shall be fixed on the saddles by means of good quality heavy duty MS clamps screwed to the saddles by counter sunk screws. Neat appearance and good workmanship of surface conduiting work is of particular importance. The entire conduit work shall be in absolute line and plumb. The MS conduit should be painted with primer initially and then with two coats of approved make color before laying the conduit.

6.1 FIXING OF CONDUIT FITTINGS AND ACCESSORIES

For surface/concealed Conduiting work, the fittings and accessories shall be completely embedded on finished wall/ceiling surface in a workman like manner. Loop earthing wire shall be connected to a screwed earth stud inside outlet boxes to make an effective contact with the metal body.

6.2 **CLEANING OF CONDUIT RUNS**

The entire conduit system including outlets and boxes shall be thoroughly cleaned after completion of erection and before drawing in of cables.

6.3 **PROTECTION AGAINST DAMPNES.**

All outlets in conduit system shall be properly drain and ventilated to minimize chances of condensation/sweating.

6.4 **EXPANSION JOINTS.**

When crossing through expansion joints in buildings, the conduit sections across the joint shall be through approved quality heavy duty metal flexible conduits of the same size as the rigid conduit. The expansion joint crossing shall be done as approved by Engineer-in-Charge.

6.5 **LOOP EARTHING.**

Loop earthing shall be provided by means of insulated stranded copper conductor wires of sizes as per Schedule of Quantity laid along-with wiring inside conduits for all wiring outlets. Earthing terminals shall be provided inside all switch boxes, outlet boxes and draw boxes etc.

7. **LAYING AND DRAWING OF WIRES.**

7.1. BUNCHING OF WIRES

Wires carrying current shall be so bunched in conduits that the outgoing and return wires are drawn into the same conduit. Wires originating from two different phases shall not be run in the same conduit.

7.2 DRAWING OF WIRES.

The drawing of wires shall be done with due regard to the following precautions: No wire shall be drawn into any conduit, until all work of any nature, that may cause injury to wire is completed. Burrs in cut conduits shall be smoothen before erection of conduits. Care shall be taken in pulling the wires so that no damage occurs to the insulation of the wire. Approved type bushes shall be provided at conduit terminations. Before the wires are drawn into the conduits, conduits shall be thoroughly cleaned of moisture, dust, dirt or any other obstruction by forcing compressed air through the conduits if necessary. While drawing insulated wires into the conduits, care shall be taken to avoid scratches and kinks which cause breakage of conductors. There shall be no sharp bends. The Contractor shall, after wiring is completed, provide a blank metal/sun mica plate on all switch/outlet/junction boxes for security and to ensure that wires are not stolen till switches/ outlets etc. are fixed at no extra cost the contractor shall be responsible to ensure that wires and loop earthing conductors are not broken and stolen. In the event of the wire been partly/fully stolen, the contractor shall replace the entire wiring along with loop earthing at no extra cost. No joint of any nature whatsoever shall be permitted in wiring and loop earthing.

7.3 TERMINATION/JOINTING OF WIRES.

Sub-circuit wiring shall be carried out in looping system. Joints shall be made only at distribution board terminals, switches for socket outlets. No joints shall be made inside conduits or junction/draw/inspection boxes. Switches controlling socket outlets shall be connected in the phase wire of the final sub circuit only. Switches controlling socket outlets shall be connected in the neutral wire. Wiring conductors shall be continuous from outlet to outlet. Joints where unavoidable, due to any special reason shall be made by approved connectors. Specific prior permission from Engineer-in-Charge in writing shall be obtained before making such joint. Insulation shall be shaved off for a length of 15 mm at the end of wire like sharpening of a pencil and it shall not be removed by cutting it square or wringing. Strands of wires shall not be cut for connecting terminals. All strands of wires shall be twisted round at the end before connection. Conductors having nominal cross-sectional area exceeding 1.5 Sq. mm shall always be provided with crimping sockets. Tinning of the strands shall be done wherever crimping sockets are not available as per instructions of the Executive Engineer (Electrical). All wiring shall be labeled with appropriate plastic ferrules for identification. At all bolted terminals, brass flat washer of large area and approved steel spring washers shall be used. Brass nuts and bolts shall be used for all connections. The pressure applied to tighten terminal screws shall be just adequate, neither too less.

Switches controlling socket outlets shall be connected to the phase wire of circuits only. Only certified valid license holder wiremen shall be employed to do wiring/jointing work.

7.4 LOAD BALANCING.

The contractor shall plan the load balancing of circuits in 3 phase installation and get the same approved by the Engineer-in-Charge before commencement of the work.

7.5 COLOUR CODE OF CONDUCTORS.

Color code shall be maintained for the entire wiring installation – red, yellow, blue for three phases, blank for neutral and green for earth

8 **PERFORMANCE.**

Should the above tests not comply with the limits and requirements as above the contractor shall rectify the faults until the required results are obtained. The contractor shall be responsible for providing the necessary instruments and subsidiary earths for carrying out the tests. The above tests are to be carried out by the contractor without any extra charge.

9. **MINIATURE CIRCUIT BREAKERS.**

The MCB's shall be of the completely molded design suitable for operation at 240/415 Volts 50 Hz system. The MCB's shall have a rupturing capacity of 10 KA at 0.5 p.f. The MCB's shall have inverse time delayed thermal overload and instantaneous magnetic short circuit protection. The MCB time current characteristic shall coordinate with XLPE cable characteristic. Type test certificates from independent authorities shall be submitted with the tender.

LIST OF PREFERRED MAKES **(For work covered under this Contract)**

Sl. No.	Description of Items	Make
1	PVC conduit and accessories	AKG/ Precision/ Norpack
2	Wires	Polycab/ KEI/ Havells
3	G.I Modular Box and Modular Base Plate, Cover plate	Legrand / Anchor/ Crabtree
4	Switch, Socket	Legrand / Anchor/ Crabtree
5	MCB, Distribution Board	L&T/ Schneider/ ABB/ V Guard
8	2 x 2 36 Watt LED	Phillips/ Crompton/ Bajaj
9	15 Watt LED	Phillips/ Crompton/ Bajaj
10	BLDC Fan	Crompton/ Bajaj

Format for Integrity Pact
(To be made on Rs 100/- Judicial Stamp Paper)

This Agreement is made at.....on this.....day of.....2026.

BETWEEN

Executive Director, AIIMS, Bhubaneswar represented through Executive Engineer (Elect.), AIIMS, BHUBANESWAR,, (Hereinafter referred as the) (Address) **“Principal/Owner”**, which expression shall unless repugnant to the meaning or context hereof include its success or sand permitted as signs)

AND

..... (Name and Address of the Individual/firm/Company) through..... (Hereinafter referred to as the (Details of duly authorized signatory)

“Bidder/Contractor” and which expression shall unless repugnant to the meaning or context hereof include its success or sand permitted as signs)

Preamble

WHEREAS, the Principal/Owner has floated the Tender (NIT No. **AIIMS/BBSR/ENGG. /ELECT. /34/2026**) (here in after refer red to as **“Tender/Bid”**) and intends to award, under laid down organizational procedure, contract for: **“SITC of electrical work for skin bank, research room and laboratory located at 3rd floor of Burn Unit, at AIIMS Bhubaneswar”** herein after referred to as the **“Contract”**.

AND WHEREAS the Principal/Owner values full compliance with all relevant laws of the Land, Rules & Regulations, Economic use of resources and of fairness/ transparency in its relation with its Bidder(s) and Contractor(s).

AND WHEREAS to meet the purpose afore said both the parties have agreed to enter to this Agreement (hereinafter referred to as **“Pact”**), the terms and conditions of which shall also be read as integral part and parcel of the Tender/Bid documents and Contract between the parties.

The Tendered Value which has been accepted by Competent Authority for **“SITC of electrical work for skin bank, research room and laboratory located at 3rd floor of Burn Unit, at AIIMS Bhubaneswar”** is Rs _____/- (Rupees _____ only).

NOW, THEREFORE, inconsideration of mutual covenants contained in this Pact, the parties hereby agree as follows and this Pact witnesses as under: -

Article - 1: Commitment of the Principal/Owner.

1. The Principal/Owner commit itself to take all measures necessary to prevent corruption and to observe the following principles:

(a) No employee of the Principal/Owner, personally or through any of his/her family members, will in connection with the Tender, or the execution of the Contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.

(b) The Principal/Owner will, during the Tender process, treat all Bidder(s) with equity and reason. The Principal/Owner will, in particular, before and during the Tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential/additional information through which the Bidder(s) could obtain an advantage in relation to the Tender processor the Contract execution.

- (c) The Principal/Owner shall endeavour to exclude from the Tender process any person, whose conduct in the past has been of biased nature.
2. If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal Code (IPC)/Prevention of Corruption Act, 1988 (P C Act) or is in violation of the principles herein mentioned or if there be a substantive suspicion in this regard, the Principal/Owner will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.

Article - 2: Commitment of the Bidder(s)/Contractor(s)

1. It is required that each Bidder/Contractor (including their respective officers, employees and agents) adhere to the highest ethical standard and makes, and report to the Government/Department all suspected acts of **fraud or corruption or Coercion or Collusion** of which it has knowledge or becomes aware, during the tendering process and throughout the negotiation or award of a contract.
2. The Bidder(s)/Contractor(s) commit himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the Tender process and during the Contract execution: -
 - (a) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal/Owner's employees involved in the Tender process or execution of the Contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind what so ever during the Tender process or during the execution of the Contract.
 - (b) The Bidder(s)/Contractor(s) will not enter with other Bidder(s) into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to cartelize in the bidding process.
 - (c) The Bidder(s)/Contractor(s) will not commit any offence under the relevant IPC/PC Act. Further the Bidder(s)/Contract(s) will not use improperly, (for the purpose of competition or personal gain), or passion to others, any information or documents provided by the Principal/Owner as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
 - (d) The Bidder(s)/Contractor(s) of foreign origin shall disclose the names and addresses of agents/representatives in India, if any. Similarly, Bidder(s)/Contractor(s) of Indian Nationality shall disclose names and addresses of foreign agents/representatives, if any. Either the Indian agent on behalf of the foreign principal or the foreign principal directly could bid in a tender but not both. Further, in cases where an agent participates in a tender on behalf of one manufacturer, he shall not be allowed to quote on behalf of another manufacturer along with the first manufacturer in a subsequent/parallel tender for the same item.
 - (e) The Bidder(s)/Contractor(s) will, when presenting his bid, disclose any and all payments he has made, is committed to, or intends to make to agents, brokers or any other intermediaries in connection with the award of the Contract.
3. The Bidder(s)/Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.
4. The Bidder(s)/Contractor(s) will not, directly or through any other person or firm indulge in fraudulent practice **means a willful misrepresentation or omission of facts or submission of fake/forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of others and/or to influence the procurement**

process to the detriment of the Government interests.

5. The Bidder(s)/Contractor(s) will not, directly or through any other person or firm use Coercive Practices (means the act of obtaining something, compelling an action or influencing a decision through intimidation, threat or the use of force directly or indirectly, where potential or actual injury may be fall upon a person, his/her reputation or property to influence their participation in the tendering process).

Article - 3: Consequences of Breach.

Without prejudice to any rights that may be available to the Principal/Owner under law or the Contract or its established policies and laid down procedures, the Principal/Owner shall have the following rights in case of breach of this Integrity Pact by the Bidder(s)/Contractor(s) and the Bidder/Contractor accepts and undertakes to respect and uphold the Principal/Owner's absolute right: -

1. If the Bidder(s)/Contractor(s), either before award or during execution of Contract has committed a transgression through a violation of Article-2 above or in any other form, such as to put his reliability or credibility in question, the Principal/Owner after giving 14 days notice to the contractor shall have powers to disqualify the Bidder(s)/Contractor(s) from the Tender process or terminate/determine the Contract, if already executed or exclude the Bidder/Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of transgression and determined by the Principal/Owner. **Such exclusion may before vigor for a limited period as decided by the Principal/Owner.**
2. **Forfeiture of Performance Guarantee/Security Deposit :** If the Principal/Owner has disqualified the Bidder(s) from the Tender process prior to the award of the Contract or terminated/determined the Contractor has accrued the right to terminate/determine the Contract according to Article-3(1), the Principal/Owner apart from exercising any legal rights that may have accrued to the Principal/Owner, may in its considered opinion forfeit the entire amount of Performance Guarantee and Security Deposit of the Bidder/Contractor.
3. **Criminal Liability:** If the Principal/Owner obtains knowledge of conduct of a Bidder or Contractor, or of an employee or a representative or an associate of a Bidder or Contractor which constitutes corruption within the meaning of IPC Act, or if the Principal/Owner has substantive suspicion in this regard, the Principal/Owner will inform the same to law enforcing agencies for further investigation.

Article - 4: Previous Transgression.

1. The Bidder declares that no previous transgressions occurred in the last 05 years with any other Company in any country confirming to the anticorruption approach or with Central Government or State Government or any other Central/State Public Sector Enterprises in India that could justify his exclusion from the Tender process.
2. If the Bidder makes incorrect statement on this subject, he can be disqualified from the Tender processor action can be taken for banning of business dealings/holiday listing of the Bidder/Contractor as deemed fit by the Principal/Owner.
3. If the Bidder/Contractor can prove that he has resorted/recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/ Owner may, at its own discretion, revoke the exclusion prematurely.

Article - 5: Equal Treatment of all Bidders/Contractors/Sub-contractors.

1. The Bidder(s)/Contractor(s) undertake(s) to demand from all sub-contractors a commitment in conformity with this Pact. The Bidder/Contractor shall be responsible for any violation(s) of the principles laid down in this agreement/Pact by any of its Sub-contractors/sub-vendors.
2. The Principal/Owner will enter in to Pacts on identical terms as this one with all Bidders and Contractors.

3. The Principal/Owner will disqualify Bidders, who do not submit, the duly signed Pact between the Principal/Owner and the bidder, along with the Tender or violate its provisions at any stage of the Tender process, from the Tender process.

Article - 6: Duration of the Pact.

1. This Pact begins when both the parties have legally sign edit. It expires for the Contractor/Vendor 12 months after the completion of work under the contractor till the continuation of defect liability period, whichever is more and for all other bidders, till the Contract has been awarded.
2. If any claim is made/lodged during the time, the same shall be binding and continue to be valid despite the lapse of this Pacts as specified above, unless it is discharged/determined by the Competent Authority, AIIMS, Bhubaneswar.

Article - 7: Other Provisions.

1. This Pact is subject to Indian Law, place of performance and jurisdiction is the **Bhubaneswar** of the Principal/Owner, who has floated the Tender.
2. Changes and supplements need to be made in writing. Side agreements have not been unmade.
3. If the Contractor is a partnership or a consortium, this Pact must be signed by all the partners or by one or more partner holding power of attorney signed by all partners and consortium members. In case of a Company, the Pact must be signed by a representative duly authorized by board resolution.
4. should one or several provisions of this Pact turnout to be invalid; the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intensions.
5. It is agreed term and condition that any dispute or difference arising between the parties with regard to the terms of this Agreement/Pact, any action taken by the Owner/Principal in accordance with this **Agreement/Pact or interpretation thereof shall not be subject to arbitration.**

Article - 8: LEGAL AND PRIOR RIGHTS.

All rights and remedies of the parties hereto shall be in addition to all the other legal rights and remedies belonging to such parties under the Contract and/or law and the same shall be deemed to be cumulative and not alternative to such legal rights and remedies aforesaid. For the sake of brevity, both the Parties agree that this Integrity Pact will have precedence over the Tender/Contact documents with regard any of the provisions covered under this Pact.

IN WITNESS WHEREOF the parties have signed and executed this Pact at the place and date first above mentioned in the presence of following witnesses:

.....
(For and on behalf of Principal/Owner) (For and on behalf of Bidder/Contractor)

WITNESSES:

1.
(Signature, Name and address)

2.
(Signature, Name and address)

Place :

Dated :

PROFORMA OF SCHEDULES
(Reference to General conditions of Contract.)

SCHEDULE 'A'

Schedule of quantities : **Attached**

SCHEDULE 'D'

Extra schedule for specific requirements/
document for the work, if any. : **Nil**

SCHEDULE 'E'

Reference to General Conditions of contract : CPWD General Conditions of Contract 2023 Construction works modified and amendment up to the last date of submission of tender.

Name of work : **“SITC of electrical work for skin bank, research room and laboratory located at 3rd floor of Burn Unit, at AIIMS Bhubaneswar.”**

Estimated cost of work : **Rs. 13,50,744.00**

(i) Earnest money : **@2% of the Estimated Value**

(ii) Performance Guarantee : 5% of the Estimated cost put to tender(ECPT) or contact amount whichever is higher. In case quoted amount is lesser than 80% of ECPT, the bidder shall be required to submit Additional Performance Guarantee(APG) equivalent to the difference between the 80% amount of ECPT and quoted amount.

(iii) Security Deposit : 2.5% of billing amount.

SCHEDULE 'F'**GENERAL RULES & DIRECTIONS:**

Officer inviting tender : **Executive Engineer (Electrical), AIIMS Bhubaneswar on behalf of Executive Director AIIMS Bhubaneswar.**

Maximum percentage for quantity of items of work to be executed beyond which rates are to be determined in accordance with Clauses 12.2 & 12.3. : See below

Definitions:

2(v) Engineer-in-Charge : **Executive Engineer, AIIMS Bhubaneswar (Odisha)**

2(viii) Accepting Authority : **Executive Director, AIIMS Bhubaneswar (Odisha)**

2(x)Percentage on cost of materials to cover all overheads and profits. : **15%**

2(xi) Standard Schedule of Rates	:	As per DSR-2025 & Market Rates
2(xii) Department	:	Engineering Department, AIIMS Bhubaneswar.
9(ii) Standard CPWD contract Form	:	CPWD GCC 2023 2023 Construction works & CPWD Form-7 as modified & corrected up to last date of receipt of Bid/tender.

CLAUSE 1

(i) Time allowed for submission of Performance

Guarantee, programmer chart

(Time and progress) and applicable labour

Licenses, registration with EPFO,

ESIC and BOCW welfare board or proof of applying

Thereof from the date of issue of letter of acceptance

: 7 Days

(ii) Maximum allowable extension with late fee

@ 0.1% per day of Performance Guarantee

amount beyond the period Provided in (i) above

: 15 Days

CLAUSE 2

Authority for fixing compensation under clause 2

: Executive Director, AIIMS Bhubaneswar.

Clause 2A

Whether Clause 2 shall be applicable

: No

CLAUSE 5

Number of days from the date of issue

of letter of acceptance for reckoning

date of start

: 07 Days

Duration of Contract

: 60 days (After issue of work order)

Authority to decide:

(i) Extension of time:

Executive Engineer (Electrical), AIIMS Bhubaneswar,

(ii) Rescheduling of mile stones

: Superintending Engineer/Executive Director, AIIMS Bhubaneswar

(iii) Shifting of date of start in case

of delay in handing over of site

: Superintending Engineer,
AIIMS Bhubaneswar**CLAUSE 7****CLAUSE 7 A**

Whether clause 7A shall be applicable

: yes

CLAUSE 10A

: Applicable

CLAUSE 10B (i)

Whether Clause 10 B (i) shall be applicable

: Not Applicable

CLAUSE 10C

Component of labour expressed as

percent of value of work

: Applicable

CLAUSE 10CC

: Not Applicable

Clause 11

Specifications to be followed for

execution of work

: CPWD Specifications General Specifications
for Electrical Works - Internal - 2005 with

modification up to last date of tender submission.

CLAUSE 12

Authority to decide deviation up to 1.5 times of tendered amount

: **Executive Director, AIIMS Bhubaneswar**

12.2&12.3

Deviation Limit beyond which clauses

12.2 & 12.3 shall apply for building work

: As per CPWD Works Manual-2024

12.5

(i) Deviation Limit beyond which clauses

12.2 & 12.3 shall apply for foundation work

(except items mentioned in earth work subhead in DSR and related items)

: As per CPWD Works Manual-2024

(ii) Deviation Limit for items mentioned in earth

work subhead of DSR and related items

: As per CPWD Works Manual-2024

CLAUSE 16

Competent Authority for deciding reduced rates.

: Superintending Engineer, AIIMS Bhubaneswar

CLAUSE 18

List of mandatory machinery, tools & plants to be deployed by the contractor at site

: As required by Engineer -in- Charge

CLAUSE 19 C.....Engineer- in charge

CLAUSE 19 D..... Engineer- in charge

CLAUSE 19 G Engineer- in charge

CLAUSE 19 K Engineer- in charge

CLAUSE 25-----Executive Director, AIIMS Bhubaneswar

CLAUSE 38

: **Not Applicable**

Clause – 32. Requirement of Technical Staff and rate of recovery in case of non-compliance shall be as per the following table: -

Value of Work	Ser. No	Minimum qualification of Technical Representative	Discipline	Designation (Principal Technical/ Technical representative)	Minimum Experience in years	Number	Rate at which recovery shall be made from the contractor in the event of not fulfilling provision of clause36(i)	
							(Figures)	(Words)
For Agreement amount upto Rs150 Lakhs	(a)	Graduate Engineer OR Diploma Engineer	Elect.	Principal Technical representative	02 years for Graduate Engineer/ 05 years for Diploma Engineer	1	Rs 15000.00/-	Rs. Fifteen Thousand only

Financial Bid (schedule of quantities)

NIT NO.: AIIMS/BBSR/ENGG. /ELECT. /34 /2026

Sl. No.	Description	Unit	Qty	Rate	Total
1	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required.				
(i)	2 X 4 sq. mm + 1 X 4 sq. mm earth wire	Mtr	900	₹ 373.00	₹ 3,35,700.00
(ii)	2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire	Mtr	100	₹ 311.00	₹ 31,100.00
(iii)	4 X 6 sq. mm + 2 X 6 sq. mm earth wire (for Hot Forced Air Oven)	Mtr	30	₹ 813.00	₹ 24,390.00
(iv)	4 X 16 sq. mm + 2 X 6 sq. mm earth wire (for corridor 3rd floor)	Mtr	250	₹ 1,454.00	₹ 3,63,500.00
2	Wiring for group controlled (looped) light point/fan point/exhaust fan point/ call bell point (without independent switch etc.) with 1.5 sq. mm FRLS/HFFR PVC insulated copper conductor single core cable in surface/ recessed PVC conduit, and earthing the point with 1.5 sq. mm FRLS/HFFR PVC insulated copper conductor single core cable etc. as required.				
(i)	Group B	Point	100	₹ 885.00	₹ 88,500.00
3	Supplying, installation, Testing & Commissioning of Panel light 2x2 ft., of following body material and construction as per IS : 10322 with driver as per the requirement with Driver efficiency >85%, Operating voltage AC 140-270 Volt, freq 50/60 hz, Operating temp range -15 deg to 40 deg centigrade, internal surge protection of 2.5 KV with Short & Open circuit protection, THD < 10% , P. F. ≥0.95, IP20, CRI >80, UGR (Unified Glare Rating) < 19, Flicker free, (flicker should be below 5 %), life time (LED, Driver & electrical circuitry), of minimum 50000 Burning Hours with , 70% of initial Lumen maintained till life ends , CCT 6500°K (As per ANSI Bin), SDCM (Standard Deviation Color Matching) <3, Maximum power consumption should not more than the specified rating and Fixture shall be of relevant BIS standard and trade mark certificate (T.C.). Manufactures Word Mark/ Name Engraved/ Embossing/Screen printing on housing. complete in all respect i/c connections with 1.5 sq mm FRLS, PVC insulated copper conductor single core cable and earthing etc. as required with Minimum 5 year OEM warranty . System lumen efficacy >135 lm/Watt output . LM79 & LM80 Test report from NABL lab for all testing required for LED fixtures as per BIS shall be submitted. Shape size and CCT shall be as approved by Engineer-in-Charge as per requirement. (Thermal management: heat sink of aluminum housing such that LED junction temperature shall not rise above 90°C).				
(i)	36 watt (CRCA Sheet Body (Thickness ≥ 0.50 mm)	Each	50	₹ 2,846.00	₹ 1,42,300.00

4	Supplying, installation, Testing & Commissioning of LED Recessed / surface Down lighter (Round) SMD type of following body material with PMMA and prismatic diffuser and construction as per IS : 10322 with driver as per the requirement with Driver efficiency >85%, Operating voltage AC 140-270 Volt, freq 50/60 hz, Operating temp range - 15 deg to 40 deg centigrade, internal surge protection of 2.5 KV with Short & Open circuit protection ,THD < 10% , P. F.≥0.95, IP20, CRI >80, UGR (Unified Glare Rating) < 19, Flicker free, (flicker should be below 5 %), life time (LED,Driver & electrical circuitry), life time of minimum 50000 Burning Hours with , 70% of initial Lumen maintained till life ends as per LM80 extrapolation IES TM-21-11 report, CCT 6500°K (As per ANSI Bin) , SDCM(Standard Deviation Color Matching) <3, Maximum power consumption should not more than the specified rating and Fixture shall be of relevant BIS standard and trade mark certificate (T.C.). Manufactures Word Mark/ Name Engraved/ Embossing/ Screen printing on housing. OEM must have its own in house NABL lab setup for all testing facilities for LED fixtures complete in all respect i/c connections with 1.5 sq mm FRLS, PVC insulated copper conductor single core cable and earthing etc. as required with Minimum 5 year OEM warranty. System lumen efficacy >135 lm/Watt output . LM79 & LM80 Test report from NABL lab for all testing required for LED fixtures as per BIS shall be submitted. Shape size and CCT shall be as approved by Engineer-in-Charge as per requirement. (Thermal management: heat sink of aluminum housing such that LED junction temperature shall not rise above 90°C).				
(i)	15 watt (Extruded aluminum Body including trim)	Each	90	₹ 756.00	₹ 68,040.00
5	Supply, Installation, Testing and Commissioning of ceiling fan with Brush Less Direct Current (BLDC) Motor, class of insulation: B, 3 nos. metal(Aluminium alloy) blades, 30 cm long down rod, 2 nos. canopies,shackle kit, safety rope, copper winding, steel/Al body Power Factor not less than 0.9, Service Value (CM/M/W) minimum as below, 350 RPM (tolerance as per IS : 374-2019), THD (Total Harmonic Distortion) less than 10%, suitable for operation with regulator for speed control and all remaining accessories including safety pin, nut bolts, washers, temperature rise=75 OC (max.), insulation resistance more than 2 mega ohm, suitable for 230 V, 50 Hz, single phase AC supply, Ceiling Fan compliant to IS 374:2019 fan i/cexternal connections with 1.5 sq.mm FRLS/HFFR, PVC insulated copper conductor single core cable and earthing etc. as required.				
(i)	1200mm, service value ≥ 6.0 CM/Min/Watt, air delivery 210 CM/Min (Minimum)	Each	40	₹ 2,695.00	₹ 1,07,800.00
6	Supplying and fixing following way, horizontal type three pole and neutral, sheet steel, MCB distribution board, 415 V, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator)				
(i)	8 way (4 + 24), Double door (Skin Bank & Seminar Room)	Each	2	₹ 6,337.00	₹ 12,674.00
(ii)	6 way (4 + 18), Double door (3rd Floor Corridor)	Each	3	₹ 5,299.00	₹ 15,897.00
7	Supplying and fixing 5 A to 32 A rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required.				
(i)	16 AMP Single pole (for 6 way DB O/G)	Each	60	₹ 285.00	₹ 17,100.00
(ii)	32 AMP Triple pole and Neutral (I/C for 3 6 way DB)	Each	3	₹ 1,301.00	₹ 3,903.00
(iii)	32 AMP Triple Pole (for O/G at VTPN EMG and UPS)	Each	8	₹ 1,070.00	₹ 8,560.00

8	Supplying and fixing following rating of 415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load in the existing MCB DB complete with connections, testing and commissioning etc. as required.				
(i)	40 AMP Triple Pole (for O/G at VTPN EMG and UPS)	Each	8	₹ 2,301.00	₹ 18,408.00
(ii)	63 AMP Triple Pole (for O/G at VTPN EMG and UPS)	Each	2	₹ 2,502.00	₹ 5,004.00
9	Supplying and fixing 100 AMP MCCB, four pole, 415 V, in a MCCB enclosure of suitable size complete with connections, testing and commissioning etc. as required.	Each	1	₹ 14,750.00	₹ 14,750.00
10	Supplying and fixing 32 AMP, Three pole neutral, 415 V, MCB in steel sheet enclosure complete with connections, testing and commissioning etc. as required. (for Hot Forced Air Oven)	Each	2	₹ 4,130.00	₹ 8,260.00
11	Supplying and fixing following rating, four pole, 415 V, isolator in the existing MCB DB complete with connections, testing and commissioning etc. as required.				
(i)	100 A (for Seminar VTPN DB I/C & Skin Bank HTPN I/C)	Each	2	₹ 1,317.00	₹ 2,634.00
12	Supplying and fixing following size/ modules, GI box alongwith modular base & cover plate for modular switches in recess etc. as required.				
(i)	6 Module (200mmX75mm)	Each	60	₹ 462.00	₹ 27,720.00
(ii)	12 Module (200mmX150mm)	Each	5	₹ 614.00	₹ 3,070.00
13	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.				
(i)	15/16 A switch	Each	120	₹ 176.00	₹ 21,120.00
(ii)	6 pin 15/16 A socket outlet	Each	120	₹ 219.00	₹ 26,280.00
(iii)	5/6 A switch	Each	20	₹ 121.00	₹ 2,420.00
14	Supplying & fixing suitable size GI box with modular plate and cover in front on surface or in recess including providing and fixing 25 A modular socket outlet and 25 A modular SP MCB, "C" curve including connections, painting etc. as required. (for Deep Freezer of 5KVA)	Each	2	₹ 807.00	₹ 1,614.00
Total					₹ 13,50,744.00

Percentage above/below the total estimated cost	<i>This is the sample. Do not quote the rate here</i>
% in words	<i>This is the sample. Do not quote the rate here</i>
Total Amount (Rs.) including GST	<i>This is the sample. Do not quote the rate here</i>

In words: - (Rupees _____ *This is the sample. Do not quote the rate here* _____ only) Including GST

Note: -

1. **MR = To be read as Market Rate.**
2. **The quoted rate should be inclusive of GST.**
3. The Bidder must submit Financial Bid in On-Line Mode.
4. I/We have gone through the terms & conditions as stipulated in the tender and confirm to accept and abide the same.

5. No other charges would be payable by the Institute
6. Quantity mentioned above is tentative, it may increase or decrease as per site requirement.
7. Contractor has to bring samples as per above preferred brands only and Engineer-In-Charge shall approve one sample out of the samples brought by the contractor. The contractor has to use material of that approved sample only. No claim in this regard shall be entertained.
8. In case of non-availability of material of approved make, prior approval from Engineer-In-Charge shall be obtained for another make.

Name : _____

Business Address: _____

Date : _____

Place :Bhubaneswar

Signature of Bidder with Stamp

Signature of the Bidder: -

Seal of the Bidder _____

E-TENDERING INSTRUCTIONS TO BIDDERS

Instructions for Online Bid Submission:

The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at: <https://eprocure.gov.in/eprocure/app>.

REGISTRATION ON CPP PORTAL:

Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL: <https://eprocure.gov.in/eprocure/app>) by clicking on the link "Online bidder Enrolment" on the CPP Portal which is free of charge.

As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.

Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.

Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify /nCode / eMudhra etc.), with their profile.

Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSC"s to others which may lead to misuse.

Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / e-Token.

SEARCHING FOR TENDER ENQUIRY DOCUMENT

There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, Organization Name, Location, Date, Value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as Organization Name, Form of Contract, Location, Date, Other keywords etc. to search for a tender published on the CPP Portal.

Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective „My Tenders“ folder. This would enable the CPP Portal to intimate the bidders through SMS / e- mail in case there is any corrigendum issued to the tender document.

The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

PREPARATION OF BIDS

Bidder should consider any corrigendum published on the tender document before submitting their bids.

Please go through the tender advertisement and the Tender Enquiry Document carefully to

understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents - including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.

Bidder, in advance, should get ready the documents/BoQ to be uploaded as indicated in the Tender Enquiry Document and generally, they can be in PDF / XLS / RAR / DWF/JPG formats. Scanned documents to be uploaded may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document and resulting in fast uploading. It is the responsibility of the bidder to ensure that uploaded scanned documents are legible.

To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents has been provided to the bidders. Bidders can use "My Space" or "Other Important Documents" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

SUBMISSION OF BIDS

Submission of Bids

Bidder should log into the site well in advance for bid submission so that they can upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.

The bidder has to digitally sign and upload the required bid documents one by one as indicated in the Tender Enquiry document.

Bidder has to select the payment option as "offline" to pay the Bid Security/ EMD as applicable and enter details of the instrument.

Bidder should prepare the Bid Security/EMD as per the instructions specified in the Tender Enquiry Document. The original should be posted/couriered/given in person to the concerned official, latest by the last date of bid submission or as specified in the Tender Enquiry Document. The details of the DD/any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during bid submission time. Otherwise the uploaded bid will be rejected.

Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. If the price bid has been given as a standard BoQ format with the tender document, then the same is to be downloaded and to be filled by all the bidders. Bidders are required to download the BoQ file, open it and complete the white colored (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.

The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.

All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128-bit encryption technology. Data storage encryption of sensitive fields is done. Any bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key. Further this key is subjected to asymmetric encryption using

buyers/bid openers" public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized bid openers.

The uploaded Tender/Bid shall become readable only after the tender opening by the authorized bid openers.

Upon the successful and timely submission of bids (i.e. after Clicking "Freeze Bid Submission" in the portal), the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.

The bid summary has to be printed and kept as an acknowledgement of the submission of the bid. This acknowledgement may be used as an entry pass for any bid opening meetings.

ASSISTANCE TO BIDDERS

Any queries relating to the Tender Enquiry Document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the NIT.

Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk.